

WIRE

**Favorite Spool Assortment**

Wire for every purpose.

Contains 48 one ounce spools as follows:

Quantity	No.	Gauge	Feet in Spool	Kind	Retail Per Spool
12	28G	28	88	Galv. Annealed	\$0.25
12	28B	28	88	Black Annealed	.20
12	32G	32	143	Galv. Annealed	.25
2	20C	20	20	Soft Copper	.30
2	22C	22	32	Soft Copper	.35
2	24C	24	51	Soft Copper	.35
2	20B	20	20	Soft Brass	.35
2	22B	22	32	Soft Brass	.35
2	24B	24	51	Soft Brass	.35

(48S)

Per Asst.

L1587J X7D38★

One asst. in attractive display box. Twelve assts. to ctn.

Wt. ctn. 32 lbs.

OPEN STOCK

One Ounce Spools

Per Box (12 Spools)		Gauge	Feet in Spool	Kind	▲ Per Spool
L1561J X1D77	(28G)	28	88	Galv. Annealed	\$0.25
L1562J X1D95	(32G)	32	143	Galv. Annealed	.30
L1563J X2D16 ★	(20C)	20	20	Copper	.30
L1564J X2D16 ★	(22C)	22	32	Copper	.35
L1565J X2D16 ★	(24C)	24	51	Copper	.35
L1571J X2D52	(20B)	20	20	Brass	.35
L1572J X2D52	(22B)	22	32	Brass	.35
L1577J X2D52	(24B)	24	51	Brass	.35

Twelve spools in box. Twenty-four boxes in ctn.

Wt. ctn. 21 lbs.

Sold Only in Full Boxes**Coil Assortment**

Every Purpose

Contains 6 each coils of soft galvanized and copper wire as follows:

Soft Copper

	Gauge	Feet in Coil	Retail Per Coil
214C.....	14.....	5.....	\$0.15
216C.....	16.....	10.....	.15
218C.....	18.....	15.....	.15
220C.....	20.....	20.....	.15

Soft Galvanized

114G.....	14.....	7.....	.10
116G.....	16.....	10.....	.10
118G.....	18.....	15.....	.10
220G.....	20.....	20.....	.10

(48C)

Per Asst.

L1589J X3D89 ★

One asst. in attractive display box. Twelve assts. in ctn.

Wt. ctn. 60 lbs.

BAILING WIRE**American Steel & Wire**

For all Minneapolis Moline Balers, also International Harvester and New Holland Machine Co. after 11/1/52, also J. I. Case No. 14N and 160W.

14½ Gauge Annealed

Furnished in continuous length rewound coils, approximately 100 lbs. each. Coils are oiled and packed one to fibre carton. Coil size outside diameter 13¼ in. plus or minus ¼ in. Inside diameter 8½ plus ¼ in., minus 0 inch.

Approximate length of wire per coil 6,500 feet.

Per Ctn.

11-6500-JX**N-X10D76**

Per Ctn.

\$16.15

Wt. ctn. 100 lbs.

HOME AND GARDEN WIRE



Rustproof Aluminum

Special temper light gauge wire for many uses in and around the home. 20-gauge (.035 inch).

50 foot coil stapled to colorful display card.

Per Box
(24 Coils)

L1531J X2D90 \$0.19

Per Coil

Twenty-four coils in display box
Six display boxes in ctn. Wt. ctn. 12 lbs.

COILED WIRE



Suitable and convenient for many uses.
Stove pipe, tying bundles, making and mending trellis.

Competition
In 50 Foot Coils

This popular method of retailing small gauge wire in small quantities serves the convenience of both dealers and consumers.

Though generally known as stove pipe wire, its uses are practically unlimited.

SOFT BLACK ANNEALED

Per Box			Gauge Wire	Net. Wt. Ctn., lbs.	Each
L1516J	(5019)	D9C0	19	33	\$0.10
LX1516J	(5019)	D9C0—(Case lots 144)			

L1522J	(5020)	D7C7★	20	24	.10
LX1522J	(5020)	D7C7★—(Case lots 144)			

GALVANIZED

L1518J	(5019G)	X1D16	19	33	.15
LX1518J	(5019G)	X1D16—(Case lots 144)			
L1526J	(5020G)	X1D07★	20	24	.15
LX1526J	(5020G)	X1D07★—(Case lots 144)			

Twelve coils in box. 144 in ctn.

Sold Only in Full Boxes

STOVE PIPE WIRE



ANNEALED
In Twelve-Pound Stones

Per Stone		Size Nos.	Feet Per lb.	Per Stone
6-ASP/16-J	X2D90	16	96	\$4.35
6-ASP/18-J	X3D13★	18	166	4.70
6-ASP/19-J	X3D15★	19	223	4.75
6-ASP/20-J	X3D17	20	310	4.80

**FENCE, TELEGRAPH
AND TELEPHONE WIRE**

STANDARD



PLAIN FENCE WIRE
ANNEALED

No freight Allowed

Per 100 lbs.		Gauge No.	Feet per 100 lbs.	Per lb.
11-A9-JX	N-X12D00★	9	1705	\$0.18
11-A10-JX	N-X12D10	10	2057	.18
11-A12-JX	N-X12D30★	12	3369	.19
11-A14-JX	N-X12D50★	14	5858	.19
11-A16-JX	N-X13D00	16	9598	.19

GALVANIZED

No Freight Allowed

Per 100 lbs.		Gauge No.	Feet per 100 lbs.	Per lb.
11-G9-JX	N-X12D75★	9	1705	\$0.19
11-G12-JX	N-X13D10★	12	3369	.20
11-G14-JX	N-X13D60	14	5858	.20
11-G16-JX	N-X14D75	16	9598	.22

One hundred lbs. in bdle.

Per Coil		Gauge	Feet per 100 lbs.	Per Coil
11-G9/10-JX	N-X1D60★	9	1705	\$2.45
11-G12/10-JX	N-X1D65	12	3369	2.50

Ten lbs. in coil. Ten coils in bdle.

TELEPHONE WIRE

"Best Best" (BB) Copper Bearing (.20%)

Per 100 lbs.		Gauge	App. Wt. per mile, lbs.	App. Lgth. per Coil, mile	Per lb.
11-BB12-JX	N-X16D07	12	170	1/2	\$0.35

Approximate wt. per coil 87 lbs.

Sold Only in Full Bundles

TACKS NAILS GLIDES CASTERS

AMERICAN TACK CO.

DISPLAY ASSORTMENTS



Tacknail Select-O-Mat
Revolving Merchandiser

Thumb Tacks
Upholstery Nails
Furniture Nails
Furniture Glides
Ball Casters

Compact, metal revolving rack takes only 13 inches of counter space, measures only 23 inches high, yet holds entire assortment.


Items packaged on convenient, cellophane-wrapped, hang-up boards or cards that protect contents.

Contents of Assortment

Pkgs. in Asst.	Item
144	Metal Capped Thumb Tacks (24 packages each white and red—12 packages each yellow, green, nickel, pink, blue, ivory, turquoise and brass)
78	Leatheroid Upholstery Nails (6 packages each brown, black, white, tan, red, green, yellow, blue, maroon, gray and nickel)
24	Hammered Head Upholstery Nails (12 packages antique—6 packages each nickel and gilt)
12	Small Head Furniture Nails (6 packages each brass and nickel)
18	Large Head Furniture Nails (6 packages each nickel, antique and gilt)
12	Small Daisy Head Upholstery Nails (6 packages each antique and gilt)
12	Large Daisy Head Upholstery Nails (6 packages each antique and gilt)
24	Three-Prong Furniture Glides (6 packages each 1/2, 5/8, 3/4 and 1 inch)
6	Ball Bearing Casters—1 1/16 inch (Nail attachment—Ball revolves in socket)
6	Ball Bearing Casters—1 3/16 inch (Nail attachment—Large ball rolls on 9 smaller balls)

Per Asst. 11-270-J X24D00.....\$36.00

Packed in 2 ctns. Wt. ctns. 30 lbs.



Met-L-Art

Upholstery Nails—Furniture Nails

Serve yourself metal display rack (8 inches wide by 14 1/2 inches long) displays items packaged on cellophane-wrapped boards that protect contents.

Contents of Assortment

Pkgs. in Asst.	Item
72	Leatheroid Upholstery Nails (24 packages each black and brown—24 packages assorted red, green, white and blue)
48	Hammered Head Upholstery Nails (Antique finish)
48	Small Head Furniture Nails (Brass plated)
24	Large Head Furniture Nails (Nickel plated)
24	Large Daisy Head Upholstery Nails (Antique finish)

Per Asst. 11-18B-J X14D22.....\$21.60
One asst. in ctn. Wt. ctn. 19 lbs.



Thumb Tacks

Colorful steel display rack (10 3/8 x 8 1/4 x 13 inches) displays Saf-T-Hed thumb tacks packaged on cellophane-wrapped boards that protect contents.

Includes 216 Packages

72 packages white—48 packages red—24 packages each blue, yellow and green—24 package assorted ivory, royal, nickel and pink.

Per Asst. 11-18S-J X14D22★.....\$21.60
One asst. in ctn. Wt. ctn. 19 lbs.

OPEN STOCK

Packaged on convenient, cellophane-wrapped, hang-up boards or cards that protect contents.

Per Ctn. Finish Per Pkg.

Metal Capped Thumb Tacks

(366)

L4958J	X1D60	Pink.....	\$0.10
L4959J	X1D60	Turquoise.....	.10
L4960J	X1D60	Brass.....	.10
L5706J	X1D60★	Blue.....	.10
L5707J	X1D60★	Green.....	.10
L5708J	X1D60	Ivory.....	.10
L5709J	X1D60★	Nickel.....	.10
L5711J	X1D60	Red.....	.10
L5712J	X1D60	White.....	.10
L5714J	X1D60★	Yellow.....	.10

36 in pkg. 24 pkgs. in ctn. Wt. ctn. 2 lbs.

Leatheroid Upholstery Nails

(210/28)

L4966J	D8C0	Nickel.....	.10
L5836J	D8C0	Black.....	.10
L5837J	D8C0	Blue.....	.10
L5838J	D8C0	Brown.....	.10
L5839J	D8C0★	Green.....	.10
L5840J	D8C0	Grey.....	.10
L5841J	D8C0	Maroon.....	.10
L5842J	D8C0★	Red.....	.10
L5843J	D8C0	Tan.....	.10
L5844J	D8C0★	White.....	.10
L5845J	D8C0	Yellow.....	.10

28 in pkg. 12 pkgs. in ctn. Wt. ctn. 1 1/4 lbs.

Hammered Head Upholstery Nails

(9H/28)

L4961J	D8C0	Gilt.....	.10
L4962J	D8C0	Nickel.....	.10
L5832J	D8C0★	Antique.....	.10

28 in pkg. 12 pkgs. in ctn. Wt. ctn. 1 lb.

Small Head Furniture Nails

(43/32)

L4965J	D8C0	Nickel.....	.10
L5835J	D8C0★	Brass.....	.10

32 in pkg. 12 pkgs. in ctn. Wt. ctn. 3/4 lb.

Large Head Furniture Nails

(9/28)

L4963J	D8C0	Antique.....	.10
L4968J	D8C0	Gilt.....	.10
L5833J	D8C0	Nickel.....	.10

28 in pkg. 12 pkgs. in ctn. Wt. ctn. 1 lb.

Small Daisy Head Upholstery Nails

(61/32)

L4967J	D8C0	Gilt.....	.10
L5870J	D8C0	Antique.....	.10

32 in pkg. 12 pkgs. in ctn. Wt. ctn. 3/4 lb.

Large Daisy Head Upholstery Nails

(64/28)

L4964J	D8C0	Gilt.....	.10
L5834J	D8C0★	Antique.....	.10

28 in pkg. 12 pkgs. in ctn. Wt. ctn. 1 lb.

Per Ctn.	No. in Pkg.	Wt. lbs.	Per Pkg.
----------	-------------	----------	----------

Three Prong Furniture Glides

L5696J	(G12)	D8C0	1 1/2	8	3/4	\$0.10
L5697J	(G58)	D8C0	5/8	8	7/8	.10
L5698J	(G34)	D8C0	3/4	6	1	.10
L5699J	(G78)	D8C0	7/8	4	1 1/4	.10

12 pkgs. in ctn.

Ball Bearing Casters

L5700J	(BC1)	X3D00	1 1/16	4	1 3/4	.39
L5701J	(BC2)	X4D48	1 3/16	4	2 1/2	.59

12 pkgs in ctn.

TACK AND NAIL ASSORTMENTS

ATLAS

Serve Yourself

An attractive wire counter display with a complete assortment of tacks, nails, brads, staples and glazier points. Holds 180 packages. As the buyer helps himself to one package the next one slides into place. Easily filled from the back. Reminder panel on back. Width 14 inches. Depth 7 inches. Height 20 inches.

Contains one dozen packages of each as follows:

Steel Furniture Nails—No. 210, black, brown, red, green and white. No. 1533, oxford. No. 99, oxford. No. 43, gilt.

Blued Upholsterers Tacks—Sizes 2, 3, 4 and 6 ounces.

Blued Carpet Tacks—Sizes 6, 8 and 10 ounces.

Wire Brads—Sizes $\frac{1}{2} \times 19$, $\frac{5}{8} \times 18$, $\frac{3}{4} \times 18$, $\frac{7}{8} \times 17$, 1×16 and $1\frac{1}{4} \times 16$.

Wire Nails—Sizes $\frac{5}{8} \times 18$, $\frac{7}{8} \times 17$, $\frac{3}{4} \times 18$ and 1×17 .

Wire Cloth Staples—No. 5

Push Type Glaziers Points—No. 2 $\frac{1}{2}$.

Double Pointed Tacks—No. 11

Nickel Plated Thumb Tacks—Size $\frac{3}{8}$ inch.

Linoleum Binding Nails—Size $\frac{5}{8} \times 16$.

Display and 30 Dozen Packages

Retail Value \$36.00

Per Asst.

11-52-J X24D75★

One asst. in ctn. Wt. ctn. 59 lbs.

OPEN STOCK

For No. 52 Assortment of Tacks and Nails

FURNITURE NAILS

In $\frac{1}{8}$ lb. Papers

Per Pkg.	Color	Count	Per Paper
L5754J D8C0	Black (210B/28)	28	\$0.10
L5755J D8C0★	Brown (210C/28)	28	.10
L5756J D8C0	Green (210G/28)	28	.10
L5757J D8C0	Red (210R/28)	28	.10
L5758J D8C0★	White (210W/28)	28	.10
L5763J D3C0	Oxford (99)	28	.10
L5753J D8C0	Oxford (43G/35)	28	.10
L5767J D3C0★	Gilt	35	.10

UPHOLSTERERS TACKS

BLUED

In $\frac{1}{8}$ lb. Papers

Per Pkg.	Size	Per Paper
L5625J D8C0	(BU $\frac{1}{8}$ /2)	\$0.10
L5626J D8C0★	(BU $\frac{1}{8}$ /3)	.10
L5627J D8C0★	(BU $\frac{1}{8}$ /4)	.10
L5628J D8C0	(BU $\frac{1}{8}$ /6)	.10

WIRE CLOTH STAPLES

In $\frac{1}{8}$ lb. Papers

(WC $\frac{1}{8}$ /5)

Per Pkg.	Per Paper
L5790J D8C0★	\$0.10

CARPET TACKS

BLUED

In $\frac{1}{8}$ lb. Papers

Per Pkg.	Size	Per Paper
L5617J D8C0	(BC $\frac{1}{8}$ /6)	\$0.10
L5618J D8C0★	(BC $\frac{1}{8}$ /8)	.10
L5619J D8C0	(BC $\frac{1}{8}$ /10)	.10

WIRE BRADS

In $\frac{1}{8}$ lb. Papers

Per Pkg.	Lgth., ins.	Gauge	Per Paper
L5986J D8C0	(EB $\frac{1}{8}$ /1 $\frac{1}{2}$ ×19)	19	\$0.15
L5987J D8C0	(EB $\frac{1}{8}$ /5 $\frac{1}{8}$ ×18)	18	.10
L5988J D8C0★	(EB $\frac{1}{8}$ /3 $\frac{1}{4}$ ×18)	18	.10
L5989J D8C0	(EB $\frac{1}{8}$ /7 $\frac{1}{8}$ ×17)	17	.10
L5990J D8C0★	(EB $\frac{1}{8}$ /1×16)	16	.10
L5991J D8C0	(EB $\frac{1}{8}$ /1 $\frac{1}{4}$ ×16)	16	.10

WIRE NAILS

In $\frac{1}{8}$ lb. Papers

Per Pkg.	Lgth., ins.	Gauge	Per Paper
L5992J D8C0	(EN $\frac{1}{8}$ /5 $\frac{1}{8}$ ×18)	18	\$0.10
L5993J D8C0★	(EN $\frac{1}{8}$ /3 $\frac{1}{4}$ ×18)	18	.10
L5994J D8C0	(EN $\frac{1}{8}$ /7 $\frac{1}{8}$ ×17)	17	.10
L5995J D8C0★	(EN $\frac{1}{8}$ /1×17)	17	.10

DOUBLE POINTED TACKS

In $\frac{1}{8}$ lb. Papers

(DP $\frac{1}{8}$ /11)

Per Pkg.	Per Paper
L5635J D8C0	\$0.10

THUMB TACKS

NICKEL PLATED—50 Count

(TT $\frac{1}{8}$ /3 $\frac{1}{8}$)

Per Pkg.	Per Paper
L5745J D8C0★	\$0.10

LINOLEUM NAILS

BRASS PLATED

In $\frac{1}{8}$ lb. Papers

(LN $\frac{1}{8}$ /5 $\frac{1}{8}$ ×16)

Per Pkg.	Per Paper
L5778J D8C0	\$0.10

GLAZIERS POINTS

In $\frac{1}{2}$ lb. Papers

(GP2 $\frac{1}{2}$)

Per Pkg.	Per Paper
L5581J D8C0★	\$0.10

Twelve papers in package

Sold Only in Full Packages

STAR ★ DENOTES BEST SELLER

TACK AND NAIL ASSORTMENTS

ATLAS



Self-Service

Tack and Nail Bar

200 two-ounce red window boxes (10 each of 20 most popular items) on attractive red and black self-service wire counter merchandiser—takes less than $1\frac{1}{2}$ square feet of counter space, 12 inch wide by 17 inches deep by 19 inches high.

Contents:

Upholsterers Tacks—3, 4, 6 oz.

Carpet Tacks—8, 10 oz.

Black Metal Leather Nails—No. 210 (28 pcs.)

Oxford Furniture Nails—No. 99 (28 pcs.)

Nickel-Plated Thumb Tacks— $\frac{3}{8}$ (50 pcs.)

Bright Zinc Linoleum Binding Nails— $\frac{5}{8} \times 16$

Wire Cloth Staples—No. 5

Push-Type Glazier Points—No. 2 $\frac{1}{2}$ (1/12 lb.)

Wire Brads— $\frac{5}{8} \times 18$, $\frac{3}{4} \times 18$, $\frac{7}{8} \times 17$, 1x16, $1\frac{1}{4} \times 16$

Wire Nails— $\frac{5}{8} \times 18$, $\frac{3}{4} \times 18$, $\frac{7}{8} \times 17$, 1x17

Per Asst.

Per Asst.

O-A200-J X18D00.....\$30.00

One asst. in two ctns. Ship. Wt. 39 lbs.

TACK-NAIL-BRAD DISPLAY ASSORTMENT

PRESTO



"See-Thru" Plastic Tubes in Gravity Feed Display, 18 Different Items in "See-Thru" Tubes

Colorful, two-tier, all-metal gravity feed display holds a best-selling assortment of most-wanted tacks, nails and brads in a space only 12 inches wide by 16 inches deep. Handy, compact plastic tubes, kept at customer's fingertips by gravity feed, have many uses when empty. Rack slots labelled for easy refilling.

Display rack furnished free with assortment as follows:

Qty. Tubes	Description	Sizes
24	Cut Sterilized Carpet Tacks	Nos. 3, 6, 8, 10
12	Cut Sterilized Carpet Tacks	Nos. 4, 14
12	Solid Copper Tacks	No. 3
12	Aluminum Tacks	No. 3
12	Double-Pointed Tacks	Nos. 5, 11
12	Wire Brads	$\frac{1}{2}$, 1, $1\frac{1}{4}$ in.
24	Wire Brads	$\frac{3}{4}$ in.
24	Wire Nails	$\frac{3}{4}$, 1 in.
12	Wire Nails	$1\frac{1}{4}$, $1\frac{1}{2}$ in.

Per Asst.

Per Asst.

11-25T-E X20D00.....\$30.00

One asst. in ctn. Wt. ctn. 30 lbs.

OPEN STOCK

CARPET TACKS

Cut Sterilized Blue

Per Box (12 Tubes)		Size, in.	Per Tube
L5751J (3)	D8C0	$\frac{3}{8}$	\$0.10
L5759J (4)	D8C0	$\frac{7}{16}$	.10
L5760J (6)	D8C0	$\frac{1}{2}$	.10
L5761J (8)	D8C0	$\frac{9}{16}$	.10
L5762J (10)	D8C0	$\frac{5}{8}$	.10
L5763J (14)	D8C0	$\frac{3}{4}$	.10

Twelve tubes in box. Wt. box 1 lb.

SOLID COPPER TACKS

$\frac{3}{8}$ in.

Per Box (12 Tubes)		Per Tube
L5764J (3)	D8C0	\$0.10

Twelve tubes in box. Wt. box 1 lb.

ALUMINUM TACKS

$\frac{3}{8}$ in.

Per Box (12 Tubes)		Per Tube
L5765J (3)	D8C0	\$0.10

Twelve tubes in box. Wt. box 1 lb.

DOUBLE POINTED TACKS

Per Box (12 Tubes)		Size in.	Per Tube
L5766J (5)	D8C0	$\frac{3}{8}$	\$0.10
L5769J (11)	D8C0	$\frac{9}{16}$	.10

Twelve tubes in box. Wt. box 1 lb.

WIRE BRADS

Per Box (12 Tubes)		Size, in.	Per Tube
L5770J	D8C0	$\frac{1}{2}$	\$0.10
L5771J	D8C0	$\frac{3}{4}$	.10
L5772J	D8C0	1	.10
L5773J	D8C0	$1\frac{1}{4}$	.10

Twelve tubes in box. Wt. box 1 lb.

WIRE NAILS

Per Box (12 Tubes)		Size in.	Per Tube
L5774J	D8C0	$\frac{3}{4}$	\$0.10
L5775J	D8C0	1	.10
L5776J	D8C0	$1\frac{1}{4}$	.10
L5777J	D8C0	$1\frac{1}{2}$	.10

Twelve tubes in box. Wt. box 1 lb.

SOLD ONLY IN FULL BOXES

"SAFE PIN" TACKS**THUMB—FURNITURE—ORNAMENTAL
LEATHER FINISH NAILS**Diameter Head $\frac{7}{16}$ inch

Per Box (12 Pkgs.)		Finish Head	Per Pkg.
L5731J	D9C5★	Black	\$0.15
L5734J	D9C5	Blue	.15
L5737J	D9C5	Special Green	.15
L5738J	D9C5★	Red	.15
L5739J	D9C5	Special Red	.15

(21/1)

(21/4)

(21/7)

(21/8)

(21/9)


Twenty-four in pkg.

FURNITURE NAILS

Per Box (12 Pkgs.)	Diameter Head, inch	Finish Head	Quantity, Package	Per Pkg.
L5744J	$\frac{9}{32}$	Brass	40	\$0.15

(43SP)

Sold Only in Full Boxes

UPHOLSTERERS' TACKS

(Illustrations Full Size)

CUT, BLUEDIn $\frac{1}{8}$ lb. Papers

Per Pkg.		Size, ozs.	Per Paper
L5662J	D9C0	2	\$0.10
L5663J	D8C2★	3	.10
L5664J	D8C0★	4	.10
L5665J	D7C7★	6	.10
L5666J	D7C6	8	.10
L5667J	D7C3	10	.10
L5668J	D7C3	12	.10

(SU $\frac{1}{8}$ /2)

(SU $\frac{1}{8}$ /3)

(SU $\frac{1}{8}$ /4)

(SU $\frac{1}{8}$ /6)

(SU $\frac{1}{8}$ /8)

(SU $\frac{1}{8}$ /10)

(SU $\frac{1}{8}$ /12)

Twelve papers in pkg. 240 in ctn. Wt. ctn. 36 lbs.

Sold Only in Full Packages

In 1 lb. Boxes

Per Box		Size, ozs.	Per Box
L5652J	D4C0★	3	\$0.55
L5653J	D4C0★	4	.55
L5654J	D3C7★	6	.50
L5655J	D3C7	8	.50
L5656J	D3C5	10	.50
L5657J	D3C5★	12	.50
L5658J	D3C5	14	.50
L5659J	D3C5	16	.50

(SUP3)

(SUP4)

(SUP6)

(SUP8)

(SUP10)

(SUP12)

(SUP14)


(SUP16)

Twenty-four boxes in ctn.

In 25 lb. Boxes

Per Box		Size, ozs.	Per lb.
11-SU25/3-J	X9D15★	3	\$0.60
11-SU25/4-J	X8D40★	4	.60
11-SU25/6-J	X8D20★	6	.60
11-SU25/8-J	X8D15	8	.60
11-SU25/10-J	X7D60	10	.60
11-SU25/12-J	X7D60	12	.60
11-SU25/14-J	X7D60	14	.60
11-SU25/16-J	X7D60★	16	.60

UPHOLSTERERS' TACKS



WIRE

In 1/8 lb Papers

(WU1/8/6)

Per Pkg.	Size, ozs.
L5684J D7C1	6

Twelve papers in pkg. 240 in ctn. Wt. ctn. 36 lbs.

Sold Only in Full Packages

In 25 lb. Boxes

Per Box	Size, ozs.	Per lb.
11-WU25/3-J X9D80	3	\$0.60
11-WU25/4-J X9D35	4	.60
11-WU25/6-J X8D80	6	.60
11-WU25/8-J X8D75	8	.60

In 100 lb. Kegs

Per Keg.	Size, ozs.	Per lb.
11-WU100/3-J X35D50	3	\$0.60
11-WU100/4-J X33D90	4	.60

GALVANIZED

In 25 lb. Boxes

Per Box	Size, ozs.	Per lb.
11-WG25/4-J X11D75	4	\$0.65


WIRE CARPET TACKS
AMERICAN

In 1/8 lb. Papers

Case of one-half gross papers, assorted—sizes Nos. 6, 8 and 10.

Per Box	Per Paper
11-W18-J X4D65★	\$0.10

Seventy-two in display box. Wt. box 10 1/2 lbs.



(Illustrations Full Size)

BLUED

In 1/8 lb. Papers

(WC1/8/3)

Per Pkg.	Size, ozs.	Per Paper
L5669J D7C3	3	\$0.10
L5670J D6C9★	(WC1/8/4)	.10
L5671J D6C7★	(WC1/8/6)	.10
L5672J D6C7★	(WC1/8/8)	.10
L5673J D6C5	(WC1/8/10)	.10

Twelve papers in pkg. 240 in ctn.
Wt. ctn. 36 lbs.

Sold Only in Full Packages

CUT CARPET TACKS
HONEST WEIGHT
STERILIZED BLUED

In 1/8 lb. Papers


Box of 72 papers in two cartons. Each carton contains 6 packages of size No. 6, 24 of size No. 8 and 6 of size No. 10.

Per Box	Per Paper
11-H-J X4D40	\$0.10

One box (two display ctns.) in reshipping ctn.

Sold Only in Full Packages


CUT COPPER TACKS

Flat Head
Needle Point

For securing screen wire window screens and doors.

In 1/8 lb. Papers

Per Pkg.	Size, in.	Per Paper
L5629J X2D20★	(CT8/3/8) 3/8	\$0.30
L5630J X2D18	(CT8/7/16) 7/16	.30
L5631J X2D15★	(CT8/1/2) 1/2	.30

Twelve papers in pkg. 240 in ctn.
Wt. ctn. 36 lbs.

(Illustrations Full Size)

In 1 lb. Boxes

Per Box	Size, in.	Per Box
L5689J X1D33	(503/8) 3/8	\$2.00

Twenty-four boxes in ctn.

ALUMINUM CUT TACKS


For securing screen wire window screens and doors.

In 1 1/2 oz. Paper
(3)

Per Pkg.	Size, in.	Per Paper
L5752J X1D47★	3/8	\$0.20

Twelve papers in pkg. 240 in ctn.
Wt. ctn. 30 lbs.

AMERICAN CUT TACKS




BLUED—TRIMMERS—CUT
In 1/8 lb. Papers

Per Pkg.			Size, Per ozs. Paper
L5593J	D9C3	(AC1/8/2)	2 \$0.10
L5594J	D8C2★	(AC1/8/3)	3 .10
L5595J	D7C94/5★	(AC1/8/4)	4 .10
L5596J	D7C9★	(AC1/8/6)	6 .10
L5612J	D7C51/2★	(AC1/8/8)	8 .10
L5613J	D6C9	(AC1/8/10)	10 .10
L5614J	D6C9	(AC1/8/12)	12 .10
L5615J	D6C9	(AC1/8/14)	14 .10
L5616J	D6C9	(AC1/8/16)	16 .10

Twelve papers in pkg. 240 in ctn.
Wt. ctn. 36 lbs.

GIMP TACKS



BLUED
Clinch Needle Point
In 1/8 lb. Papers

Per Pkg.			Size, Per ozs. Paper
L5620J	D9C5	(BG1/8/2)	2 \$0.10
L5621J	D9C3	(BG1/8/2 1/2)	2 1/2 .10
L5622J	D8C8★	(BG1/8/3)	3 .10
L5623J	D8C3★	(BG1/8/4)	4 .10
L5624J	D8C0	(BG1/8/6)	6 .10

Twelve papers in pkg. 240 in ctn.
Wt. ctn. 36 lbs.

LINOLEUM
BINDING NAILS

Oval Head
16 gauge steel wire. Length
5/8 inch.
In 1/8 lb. Papers

BRASS PLATED
(BP5816)

Per Pkg.		Per Paper
L5793J	D7C6	\$0.10

CADMIUM PLATED
(CP5816)

Per Pkg.		Per Paper
L5794J	D8C0★	.10

Twelve papers in pkg. Wt. pkg. 1 1/2 lbs.

WEATHERSTRIPPING
NAILS

Flat head needle point barbed. 17 gauge copper plated. Length 5/8 inch.

In 1/4 lb. Papers
(WN5817)

Per Pkg.		Per Paper
L5795J	X1D31	\$0.20

Twelve papers in pkg. Wt. pkg. 3 lbs.
Sold Only in Full Packages

RAILROAD OR BILLPOSTER TACKS

Wire
BLUED—Large Head—Needle Point



(Illustrations Full Size)

In 1/8 lb. Papers

Per Pkg.		Size, ins.	Per Paper
L5681J	D6C8	(WRR1/8/6)	6 \$0.10

Twelve in pkg. Wt. pkg. 1 1/2 lbs.

In 1 lb. Boxes

Per Box		Size, ozs.	Per Box
L5674J	D3C7	(WRR1/4)	4 \$0.49
L5675J	D3C7	(WRR1/6)	6 .49
L5676J	D3C7	(WRR1/8)	8 .49

Twenty-four boxes in ctn. Wt. ctn. 24 lbs.

In 25 lb. Boxes

Per Box		Size, ozs.	Per lb.
11-WRR25/3-J	X7D85	3	\$0.45
11-WRR25/4-J	X7D40	4	.45
11-WRR25/6-J	X7D10★	6	.45
11-WRR25/8-J	X7D25★	8	.45
11-WRR25/10-J	X7D40	10	.45
11-WRR25/12-J	X7D40	12	.45
11-WRR25/14-J	X7D40	14	.45

In 100 lb. Kegs

Per Keg		Size, ozs.	Per lb.
11-WRR100/8-J	X27D15★	8	\$0.45

Cut

BLUED—Large Head—Needle Point



In 1 lb. Boxes

Per Box		Size, ozs.	Per Box
L5641J	D3C6	(RR1/6)	6 \$0.45
L5642J	D3C6	(RR1/8)	8 .45
L5643J	D3C5	(RR1/10)	10 .45

Twenty-four boxes in ctn. Wt. ctn. 24 lbs.

In 25 lb. Boxes

Per Box		Size, ozs.	Per lb.
11-WRR25/4-J	X7D95★	5	\$0.45
11-WRR25/6-J	X7D90	6	.45
11-WRR25/8-J	X7D80★	8	.45
11-WRR25/10-J	X7D65	10	.45

WIRE CLINCHING SHOE NAILS



3-8 4-8 5-8 6-8 7-8



BAKERS' HOLDFAST SHARPOINT

Steel wire, 16 gauge. Centered points.

NATURAL FINISH—In 1/8 lb. Papers


Per Pkg.			Length, in.	Per Paper
L5782J	D8C0	(HWC8/4/8)	4/8	\$0.10
L5783J	D8C0★	(HWC8/5/8)	5/8	.10
L5784J	D8C0★	(HWC8/6/8)	6/8	.10
L5785J	D8C0	(HWC8/7/8)	7/8	.10

Twelve papers in pkg. 432 in ctn. Wt. ctn. 55 lbs.

WIRE CLINCHING FIBRE SOLE NAILS



4-8 5-8 6-8 7-8



BAKER'S SHARPOINT

Concaved head. 16 gauge wire.

In 1/8 lb. Papers

Per Pkg.			Length, in.	Per Paper
L5786J	D8C0	(HWFS8/4/8)	4/8	\$0.10
L5787J	D8C0★	(HWFS8/5/8)	5/8	.10
L5788J	D8C0★	(HWFS8/6/8)	6/8	.10

Twelve papers in pkg. 432 in ctn. Wt. ctn. 55 lbs.

SHADE NAILS

In 1 lb. Papers

Per Paper			Size	Per Paper
L5746J	D2C83/4★	(3413)	3/4x13	\$0.40
L5747J	D3C11/2	(5814)	5/8x14	.45

Loose

In 1/4 lb. Papers

Per Box			Size	Per Paper
L5748J	D8C6★	(Q3413)	3/4x13	\$0.15
L5749J	X1D03	(Q5814)	5/8x14	.15

Twelve papers in box. Wt. box 3 lbs.

CORRUGATED SHOE NAILS



Wire Clinching


Countersunk flat head. Clinching point, 16 gauge.

STEEL, BRASS PLATED—In 1/8 lb. Papers

Per Pkg.			Length, in.	Per Paper
L5779J	D8C0	(BPC8/4/8)	4/8	\$0.10
L5780J	D8C0★	(BPC8/5/8)	5/8	.10
L5781J	D8C0★	(BPC8/6/8)	6/8	.10

Twelve papers in pkg. 240 papers in ctn. Wt. ctn. 30 lbs.

DOUBLE POINTED TACKS



(Illustration Full Size)

FLAT BLUED STEEL—Tack Points

In 1/8 lb. Papers

Per Pkg.			Size	Length, in.	Per Paper
L5636J	D7C6★	(DPB1/8/9)	9	1/16	\$0.10
L5637J	D7C5	(DPB1/8/10)	10	15/32	.10
L5638J	D7C5★	(DPB1/8/11)	11	1/2	.10
L5639J	D7C5	(DPB1/8/12)	12	19/32	.10

Twelve papers in pkg. 240 papers in ctn. Wt. ctn. 36 lbs.

WIRE CLOTH STAPLES

BLUED



18 gauge flat wire. Width 1/16 inch, length 3/8 inch.

In 1/8 lb. Papers

(WCS1/8)

Per Pkg.			Per Paper
L5791J	N-D7C4		\$0.10

Twelve papers in pkg. 240 papers in ctn. Wt. ctn. 30 lbs.

In 5 lb. Boxes

(WCS5)

Per Box			Per lb.
L5792J	N-X1D80		\$0.50

In 10 lb. Boxes

11-WCS10-J	N-X3D80		.50
------------	---------	--	-----

STAR ★ DENOTES BEST SELLER

GLAZIERS POINTS



STEEL, ZINC COATED

Triangular Shape

Put up in a small attractive box, with driving tool.

In 1/8 lb. Boxes

Per Pkg.		Size, Nos.	Per Box
L5582J	D6C8 ★ (GT2)	2	\$0.10
L5583J	D6C8 (GT3)	3	.10

Twelve boxes in display pkg. Wt. pkg. 1½ lbs.

EASY



Push Type

No Special Tools Needed

Eliminates glass breakage. For window glazing, green houses, hot beds, pictures and mirrors.

Put up in attractive shaker packages of approximately 85 points each. Twelve boxes in an attractive display package.

ZINC COATED STEEL

(EWP)


Per Pkg.		Per Box
L5584J	D8C5 ★	\$0.15

Twelve boxes in display pkg. Wt. pkg. 1 oz.

Sold Only In Full Packages

AUTOMATIC
GLAZIERS' POINT DRIVERS

RED DEVIL



For glazing sash and frames, mirrors and pictures with great speed.

Strong and efficient, drives diamond glazier points at machine-gun speed into frames of hardest wood. Eliminates use of brads or nails for picture framing.

Operates in any position, drives points when held at any angle—points cannot drop out of magazine.

Well constructed of fine material and nicely finished. Fits the hand comfortably and operates easily and surely.

Uses Red Devil diamond points.

For No. 1BP, 3/8 inch points


(1)

Each		▲ Each
L5585J	X8D00.....	\$13.50
LX5585J	X8D00—(Case lots 12)	

One in ctn. with extra driving plate. Twelve in case. Wt. case 27 lbs.

DIAMOND GLAZIERS' POINTS

RED DEVIL



For Automatic Glaziers' Point Drivers

Made of special hard-rolled metal "Ste-like", treated against corrosion. They are stacked evenly 100 in strong sticks and slip quickly and accurately into the driver.

Carton Lots


Per Pkg.		Length, in.	Wt. Per Ctn., lbs.	Per Pkg.
L5577J	X1D70 (1BP)	3/8	6½	\$2.55
L5578J	X2D00 (2BP)	1/2	14	3.00

No. 1BP 5000 in pkg. Nine pkgs. in ctn.

No. 2BP 4000 in pkg. Nine pkgs. in ctn.

STAR ★ DENOTES BEST SELLER

STEEL WIRE BRADS




Length, inches	Gauge	Average No. to lb.	BRIGHT STEEL		1 lb. Package L5831J-PB Per lb.	1/4 lb. Package L5801J-QB Per lb.
			25 lb. Boxes 11-25B-J Per lb.			
1/2	20	7164			D5C9 \$0.85	D6C1 1/4 ★ \$0.15
1/2	19	5075				D5C2 1/4 .15
1/2	18	3824				D4C3 3/4 ★ .15
5/8	20	5686				D5C3 3/4 .15
5/8	19	4132	D4C0 1/2 ★ .70		D4C3 3/4 .75	D4C6 1/4 ★ .15
5/8	18	3130	D3C3 1/2 .60			D3C9 1/4 .15
5/8	17	2306				D3C5 .15
3/4	20	4795				D4C9 1/4 .15
3/4	19	3508				D4C2 3/4 .15
3/4	18	2608	D3C1 ★ .60		D3C4 1/2 .60	D3C6 3/4 ★ .15
3/4	17	1904	D2C6 .45		D2C6 ★ .45	D3C1 3/4 ★ .15
3/4	16	1414				D2C8 3/4 .15
7/8	18	2248	D2C9 .50		D3C2 1/2 ★ .60	D3C4 3/4 ★ .15
7/8	17	1581	D2C5 ★ .45			D3C0 3/4 .15
7/8	16	1229				D2C8 1/2 .15
1	18	1976	D2C8 .50		D3C1 1/4 .60	D3C3 3/4 .15
1	17	1409	D2C3 1/2 ★ .40		D2C7 .45	D2C9 1/4 ★ .15
1	16	1099	D2C1 1/2 .35		D2C4 1/2 .45	D2C7 1/4 .15
1 1/4	18	1590				D3C0 3/4 .15
1 1/4	17	1139	D2C3 ★ .40		D2C6 1/4 ★ .45	D2C9 .15
1 1/4	16	872	D2C1 .35		D2C3 3/4 .40	D2C6 1/4 ★ .15
1 1/4	15	694	D2C0 .35			
1 1/4	14	536				
1 1/2	16	739	D2C0 ★ .35		D2C3 1/4 ★ .40	D2C5 3/4 ★ .15
1 1/2	15	478	D2C0 .35		D2C3 1/4 .40	D2C5 3/4 .15
1 1/2	14	459				
1 3/4	15	501	D1C9 1/2 .35			
1 3/4	14	398	D1C8 1/2 ★ .35			
2	14	350	D1C8 1/2 ★ .35			
2	13	260	D1C8 1/2 .35			
2 1/2	13	209				
2 1/2	12	161	D1C7 1/2 .35			
3	12	137	D1C7 1/2 ★ .35			

Sold Only in
Full Boxes

Twelve pkg. in ctn.
Wt. ctn. 3 lbs.
Sold Only in
Full Cartons

STAR ★ DENOTES BEST SELLER



(Illustration Full Size)

Length, inches	Wire Gauge	Average No. to lb.	In 25 lb. Boxes	In 1 lb. Papers	In 1 lb. Papers
			11-25N-J Per lb.	L5869J-PN Per lb.	L5855J-QN Per lb. Per Pkg.
1/2	20	7164			D5C61/4 \$0.15
1/2	19	5075			D4C83/4★ .15
5/8	19	4132			D4C23/4 .15
5/8	18	3130	D3C2 \$0.60		D3C73/4★ .15
3/4	18	2608	D2C9★ .60	D3C21/4 \$0.60	D3C43/4★ .15
3/4	17	1904	D2C41/4★ .40		D3C61/4 .15
3/4	16	1414		D2C43/4★ .45	D2C71/4★ .15
3/4	14	863	D2C01/2 .35	D2C31/2 .45	
7/8	18	2248			D3C31/4★ .15
7/8	17	1581	D2C31/2★ .40	D2C63/4 .50	D2C91/4 .15
1	18	1976	D2C61/2 .40		D3C21/2★ .15
1	17	1409	D2C2★ .35	D2C5★ .45	D2C8★ .15
1	16	1099	D2C0 .35	D2C3★ .45	D2C6 .15
1 1/4	17	1139	D2C11/2 .35		
1 1/4	16	872			D2C5★ .15
1 1/2	15	578			D2C41/2★ .15
			Sold Only in Full Boxes	Twelve papers in ct.	



Per Keg		Size ins.	Wire ga. No.	Avg. No. in lb.	Per lb.
11-P $\frac{7}{8}$ -JX	N-X6D17	$\frac{7}{8}$	9	120	\$0.18
11-P1-JX	N-X6D17	1	9	108	.18
11-P1 $\frac{1}{8}$ -JX	N-X6D17★	1 $\frac{1}{8}$	9	96	.18
11-P1 $\frac{1}{4}$ -JX	N-X6D17	1 $\frac{1}{4}$	9	87	.18
11-P1 $\frac{1}{2}$ -JX	N-X6D17	1 $\frac{1}{2}$	9	72	.18

Per Box		Size ins.	Wire ga. No.	Avg. No. in. lb.	Per lb.
11-12G1-JX	N-X4D70★	1	12	208	\$0.27
11-25G1-JX	N-X3D85	1	9	108	.21



(Illustration Full Size)

Per Keg	In 100 lb. Kegs	Per lb.
11-K ³ / ₄ -JX	N-X16D23	\$0.25

Per Box	Per lb.
11-B ³ / ₄ -JX N-X1D85★	\$0.30


Ten boxes in ctn. Wt. ctn. 100 lbs.

Sold Only in Full Packages

STAR ★ DENOTES BEST SELLER

STEEL WIRE NAILS

(Illustrations full size)

COMMON
In Boxes

Per Box		Size	Lgth., ins.	Wire ga.	Diam. No. to Head	lb.	Approx. Per lb.
11-2C-JX	N-X14D72	2	1	15	17/64	847	\$0.22
11-3C-JX	N-X13D82	3	1 1/4	14	15/64	545	.20
11-4C-JX	N-X13D22★	4	1 1/2	12 1/2	13/64	294	.19
11-5C-JX	N-X12D98	5	1 3/4	12 1/2	13/64	254	.19
100 lbs. in box.							
11-6C-JX	N-X6D22★	6	2	10 1/2	17/64	167	.18
11-8C-JX	N-X6D13★	8	2 1/2	10 1/4	9/32	101	.18
11-10C-JX	N-X5D98★	10	3	9	5/16	66	.18
11-12C-JX	N-X5D93	12	3 1/4	9	5/16	61	.18
11-16C-JX	N-X5D95★	16	3 1/2	8	11/32	47	.18
Fifty lbs. in box.							
11-20C-JX	N-X11D90★	20	4	6	11/32	29	.18
100 lbs. in box.							
11-30C-JX	N-X5D95	30	4 1/2	5	7/16	22	.18
11-40C-JX	N-X5D95	40	5	4	15/32	17	.18
11-60C-JX	N-X5D95	60	6	2	1 1/2	10	.18

GALVANIZED COMMON
In Boxes

Per Box		Size	Lgth., ins.	Wire ga.	Diam. No. to Head	lb.	Approx. Per lb.
11-4GC-JX	N-X16D52	4	1 1/2	12 1/2	7/4	270	\$0.25
100 lbs. in box.							
11-6GC-JX	N-X7D87★	6	2	11 1/2	17/64	159	.25
Fifty lbs. in box.							
11-8GC-JX	N-X15D56★	8	2 1/2	10 1/4	17/64	96	.25

Sold Only in Full Boxes


STERILIZED BLUED LATH NAILS
Flat Head, Diamond Point

Per Box		Size	Lgth., ins.	Wire ga.	Diam. No. to Head	lb.	Approx. Per lb.
11-3SBL-JX	N-X15D26	3	1 1/8	15	11/64	757	\$0.22


Sold Only in Full Boxes

BLUED PLASTER BOARD NAILS
Large Flat Head, Long Diamond Point

		Lgth.,	Wire	Diam.	Approx.	
Per Box		ins.	ga.	No. Head	lb. to	Per lb.
11-11/8BPB-JX	N-X15D62★	1 1/8	13	19/64	473	\$0.23
100 lbs. in box.						
11-11/4BPB-JX	N-X7D78	1 1/4	13	19/64	425	.23

Fifty lbs. in box.
Sold Only in Full BoxesFINE WIRE NAILS
Flat Head, Diamond Point
Plain

Per Box		Size	Lgth., ins.	Wire ga.	Diam. No. to Head	lb.	Approx. Per lb.
11-3FW-JX	N-X14D60	3	1 1/8	15	11/64	757	\$0.25

100 lbs. in box.
Sold Only in Full BoxesCASING NAILS
Countersunk Head, Diamond Point
In Boxes

Per Box		Size	Lgth., ins.	Wire ga.	Diam. No. to Head	lb.	Approx. Per lb.
11-6CA-JX	N-X6D55	6	2	12 1/2	9 1/2	244	\$0.19
11-8CA-JX	N-X6D81★	8	2 1/2	11 1/2	8 1/2	147	.18
Fifty lbs. in box.							
11-10CA-JX	N-X12D56	10	3	10 1/2	7 1/2	96	.18
11-16CA-JX	N-X12D44	16	3 1/2	10	7	73	.18

100 lbs. in box.
Sold Only in Full BoxesFINISHING NAILS
Brad Head, Diamond Point
In Boxes

Per Box		Size	Lgth., ins.	Wire ga.	Diam. No. to Head	lb.	Approx. Per lb.
11-3FI-JX	N-X15D02	3	1 1/4	15 1/2	12 1/2	880	\$0.29
11-4FI-JX	N-X14D24	4	1 1/2	15	12	630	.22

100 lbs. in box.

11-6FI-JX	N-X6D64★	6	2	13 1/2	10	288	.11
-----------	----------	---	---	--------	----	-----	-----

Fifty lbs. in box.

11-8FI-JX	N-X12D92★	8	2 1/2	12 1/2	9 1/2	196	.19
-----------	-----------	---	-------	--------	-------	-----	-----

100 lbs. in box.

11-10FI-JX	N-X6D40	10	3	11 1/2	8 1/2	124	.19
------------	---------	----	---	--------	-------	-----	-----

Fifty lbs. in box.
Sold Only in Full BoxesFENCE NAILS
In Boxes

Per Box		Size	Lgth., ins.	Wire ga.	Diam. No. to Head	lb.	Approx. Per lb.
11-8F-JX	N-X6D22★	8D	2 1/2	9	5/16	82	\$0.18

Fifty lbs. in box.
Sold Only in Full Boxes

STEEL WIRE NAILS



PAINTED BRICK SIDING NAILS

These nails are hot galvanized for complete protection and then painted.

Checkered Flat Head, Diamond Point

BLACK

In Boxes

Per Box		Lgth., ins.	Wire Gauge No.	Diam. Head in.	Approx. No. to lb.	Per lb.
11-7/8PBS-JX	N-X10D50	7/8	13	1/4	550	\$0.32

50 lbs. in box.

Sold Only in Full Boxes



SHINGLING NAILS

Flat Head, Diamond Point


GALVANIZED

In Boxes

Per Box		Size	Lgth., ins.	Wire Gauge No.	Diam. Head in.	Approx. No. to lb.	Per lb.
11-3SG-JX	N-X17D00	3	1 1/4	13	1/4	418	\$0.25

100 lbs. in box.

Sold Only in Full Boxes



DUPLEX HEAD NAILS

Double Head

Easy to drive and easy to pull.

For theatre, auditorium and other building scaffolds. Also for scaffolding, foundation, column and other concrete forms and all temporary lumber constructions.

Special heavy double head and sharp point.

In Boxes

Per Box		Size	Lgth., ins.	Distance between Gauge Head, ins.	Per lb.
11-8DH-JX	N-X7D72	8	2 1/4	10 1/4	\$0.24
11-10DH-JX	N-X7D42	10	2 3/4	9	.22
11-16DH-JX	N-X7D18	16	3	8	.21
11-20DH-JX	N-X7D11	20	3 1/2	6	.21

Fifty lbs. in box.

Sold Only in Full Boxes

STEEL WIRE NAILS
GALVANIZED SMOOTH BOX NAILS

In Boxes

Per Box		Size	Lgth., ins.	Wire Gauge No.	Diam. Head in.	Approx. No. to lb.	Per lb.
11-3GSB-JX	N-X8D50	3	1 1/4	14 1/2	7/32	562	\$0.25
50 lbs. in box.							
11-6GSB-JX	N-X16D46★	6	2	12 1/2	17/64	216	.25
11-7GSB-JX	N-X16D10	7	2 1/4	12 1/2	17/64	192	.25
11-8GSB-JX	N-X15D86★	8	2 1/4	11 1/2	19/64	131	.25

100 lbs. in box.

Sold Only in Full Boxes



SMOOTH BOX NAILS

Flat Head, Diamond Point


In Boxes

Per Box		Size	Lgth., ins.	Wire Gauge No.	Diam. Head in.	Approx. No. to lb.	Per lb.
11-4SB-JX	N-X13D70	4	1 1/2	14	7/32	453	\$0.20
100 lbs. in box.							
11-5SB-JX	N-X6D76	5	1 3/4	14	7/32	389	.20
11-6SB-JX	N-X6D58★	6	2	12 1/2	17/64	225	.20
11-8SB-JX	N-X6D28★	8	2 1/2	11 1/2	19/64	136	.20
11-16SB-JX	N-X6D10	16	3 1/2	10	11/32	69	.20

50 lbs. in box.

Sold Only in Full Boxes

STEEL WIRE NAILS IN PACKAGES



COMMON

In 5 lb. Packages

Per Ctn. (10 Pkgs.)		Size	Lgth., ins.	Wire Gauge No.	Diam. Head in.	Approx. No. to lb.	Per Pkg.
11-6C5-JX	N-X7D75	6	2	11 1/2	17/64	167	\$1.20
11-8C5-JX	N-X7D65	8	2 1/2	10 1/2	9/32	101	1.20
11-10C5-JX	N-X7D50	10	3	9	5/16	66	1.20
11-16C5-JX	N-X7D45	16	3 1/2	8	11/32	47	1.20
11-20C5-JX	N-X7D45	20	4	6	11/32	29	1.20

Sold Only in Full Cartons

In 1 lb. Packages

Per Ctn. (50 Pkgs.)		Size	Lgth., ins.	Wire Gauge No.	Diam. Head in.	Approx. No. to lb.	Per Pkg.
11-6C1-JX	N-X8D65	6	2	11 1/2	17/64	167	\$0.30
11-8C1-JX	N-X8D55	8	2 1/2	10 1/4	9/32	101	.30
11-10C1-JX	N-X8D40	10	3	9	5/16	66	.30
11-16C1-JX	N-X8D40	16	3 1/2	8	11/32	47	.30
11-20C1-JX	N-X8D40	20	4	6	11/32	29	.30

Sold Only in Full Cartons

CASING NAILS

COUNTERSUNK HEAD, DIAMOND POINT

In 1 lb. Packages

Per Ctn. (50 Pkgs.)		Size	Lgth., ins.	Wire Gauge No.	Diam. Head in.	Approx. No. to lb.	Per Pkg.
11-8CA1-JX	N-X8D75	8	2 1/2	11 1/2	8 1/2	147	\$0.35

Sold Only in Full Cartons

STEEL WIRE NAILS IN PACKAGES

FINISHING NAILS

BRAD HEAD, DIAMOND POINT

In 1 lb. Packages

Ctn. Pkgs.)		Size	Lgth., ins.	Wire Gauge No.	Diam. Approx. Head No. to Gauge lb.	Per lb.
11-6F11-JX	N-X8D85	6	1 1/4	15 1/2	12 1/2 800	\$0.35
11-8F11-JX	N-X8D65	8	2 1/2	12 1/2	9 1/2 196	.35

Sold Only in Full Cartons

SMOOTH BOX NAILS

FLAT HEAD, DIAMOND POINT

In 1 lb. Packages

Per Ctn. (50 Pkgs.)		Size	Lgth., ins.	Wire Gauge No.	Diam. Approx. Head No. to Gauge lb.	Per lb.
11-6SB1-JX	N-X9D05	6	2	12 1/2	17/64 225	\$0.35
11-8SB1-JX	N-X8D75	8	2 1/2	11 1/2	19/64 136	.35

Sold Only in Full Cartons

STEEL WIRE NAILS

Sold Only in Full Boxes

(Illustrations full size)

ROOFING NAILS

Large Head Barbed
Diamond Point

GALVANIZED FINISH

Per Box		Length, ins.	Wire Gauge No.	Size Head ins.	Per lb.
11-7/8GR12-JX	N-X9D43	3/8	12	3/8	\$0.28
11-7/8GR11-JX	N-X9D13★	7/8	11	7/16	.26
		50 lbs. in box.			
11-7/8GR10-JX	N-X17D96	7/8	10	15/32	.26
		100 lbs. in box.			
11-1GR11-JX	N-X9D07★	1	11	7/16	\$0.27
11-1 1/4GR11-JX	N-X8D98	1 1/4	11	7/16	\$0.26
11-1 1/2GR11-JX	N-X8D77★	1 1/2	11	7/16	\$0.26
11-1 3/4GR11-JX	N-X8D65★	1 3/4	11	7/16	\$0.26
		50 lbs. in box.			
11-2GR11-JX	N-X16D82	2	11	7/16	.26
		100 lbs. in box.			

ROOFING NAILS



Dicksons Compressed Lead Head

Neat, effective and very economical for applying sheet metal roofing and siding.

One pound of these nails is ample for laying one square of roofing.

Barbed Shank

Per Box		Length, ins.	Wire Gauge No.	Approx. No. in 50 lb. Box	Per lb.
11-1 3/4BSR-JX	N-X11D75	1 3/4	10	4350	\$0.40
				Fifty lbs. in box.	



Lockring Shank

Per Box		Length, ins.	Wire Gauge No.	Approx. No. in 50 lb. Box	Per lb.
11-1 3/4LSR-JX	N-X12D65★	1 3/4	10	4350	\$0.40
11-2LSR-JX	N-X12D65	2	10	4050	.40
				Fifty lbs. in box.	

RING SHANK ASBESTOS SIDING NAILS

GALVANIZED STEEL

1000 lbs. or more, Per 100 lbs.		Length, ins.	Gauge	Head, ins.	Approx. count per lb.	Per lb.
✦-1 1/2-J	X30D80	1 1/2	14	3/16	459	\$0.55
✦-1 3/4-J	X29D50	1 3/4	14	3/16	402	.55
✦-2-J	X27D30	2	13	3/16	260	.55
					Fifty lbs. in box.	

STAINLESS STEEL

1000 lbs. or more, Per 100 lbs.		Length, ins.	Gauge	Head, ins.	Approx. count per lb.	Per lb.
✦-1 1/2-J	X137D80	1 1/2	14 1/2	3/16	510	\$2.20
✦-1 3/4-J	X135D40	1 3/4	14 1/2	3/16	446	2.20
					Fifty lbs. in box.	

Direct Shipment Only

F. O. B., Galveston, Texas, Evanston, Illinois and Birmingham, Alabama
Extra for Quantity in Single Shipment of Siding Nails

Add to above price, per Cwt.


5 to 9 Cwt.	\$0.50
3 to 4 Cwt.	1.00
2 Cwt.	2.00

Add to above price, per Cwt.

1 Cwt.	\$3.00
	Per lb.
Less than 100 lbs.	\$0.10

STEEL WIRE NAILS

GYPSUM DRY WALL NAILS



Long Diamond Point—Flat, Slightly Countersunk Head

Ring Shank— $\frac{3}{4}$ inch Up from Point


Bright

Per Box		Lgth., ins.	Wire Gauge No.	Diam. Head, in.	No. in Lb.	Per Lb.
11-1 $\frac{3}{8}$ GWD-JX	N-X13D63	1 $\frac{3}{8}$	12 $\frac{1}{2}$	$\frac{1}{4}$	331	\$0.45
11-1 $\frac{1}{2}$ GWD-JX	N-X10D63	1 $\frac{1}{2}$	12 $\frac{1}{2}$	$\frac{1}{4}$	271	.35

50 lbs. net in box. Ship wt. 53 lbs.

Sold Only in Full Boxes

UNDERLAYMENT NAILS



Diamond Point—Flat, Slightly Countersunk Head

Ring Shank

Bright

Per Box		Lgth., ins.	Wire Gauge No.	Diam. Head, in.	No. in Lb.	Per Lb.
11-1 $\frac{1}{4}$ UN-JX	N-X15D10	1 $\frac{1}{4}$	14	$\frac{13}{64}$	600	\$0.45
11-1 $\frac{1}{2}$ UN-JX	N-X15D10	1 $\frac{1}{2}$	14	$\frac{13}{64}$	473	.45

50 lbs. net in box. Ship. wt. 53 lbs.

Sold Only in Full Boxes

FLOORING BRADS

IDEAL



Blunt Diamond Point—Countersunk Head

Bright

Plain Shank

Per Box		Size	Lgth. in.	Wire Gauge No.	Diam. Head in.	Approx. No. to lb.	Per lb.
11-7B1F-JX	N-X7D80	7	2 $\frac{1}{2}$	11 $\frac{1}{2}$	$\frac{13}{64}$	122	\$0.25
11-8B1F-JX	N-X7D10	8	3	10	$\frac{5}{16}$	84	.20

Screw Shank

11-7SS-JX	N-X11D50	7	2 $\frac{1}{2}$	11 $\frac{1}{2}$	$\frac{13}{64}$	122	.35
11-8SS-JX	N-X11D40	8	3	10	$\frac{5}{16}$	84	.35

50 lbs. net in box. Shipping Wt. 53 lbs.

PALLET NAILS



Cement Coated—Screw Shank

Smooth Flat Head

Per Box		Size	Lgth. in.	Wire Gauge No.	Diam. Head in.	Approx. No. to lb.	Per lb.
11-8CCPN-JX	N-X11D30	8	3 $\frac{1}{2}$	8	$\frac{11}{32}$	182	\$0.35
11-10CCPN-JX	N-X9D95	10	3	10	$\frac{5}{16}$	161	.30


50 lbs. net in box. Shipping Wt. 53 lbs.

CEMENT COATED WIRE NAILS

(Cuts full size)

Sold Only in Full Boxes

CEMENT COATED COOLER TYPE WIRE NAILS



Flat Head, Diamond Point

Per Box	Size	Lgth., ins.	Wire Gauge No.	Diam. Head	Approx. No. to lb.	Per lb.
11-3CCC-JX	N-X14D72	3	1 $\frac{1}{8}$	15 $\frac{1}{2}$	$\frac{3}{16}$	838 \$0.22
100 lbs. in box.						
11-4CCC-JX	N-X6D85★	4	1 $\frac{3}{8}$	14	$\frac{7}{32}$	493 .20
Fifty lbs. in box.						
11-5CCC-JX	N-X13D58	5	1 $\frac{5}{8}$	13 $\frac{1}{2}$	$\frac{15}{64}$	366 .20
11-6CCC-JX	N-X13D46★	6	1 $\frac{7}{8}$	13	$\frac{1}{4}$	278 .20
100 lbs. in box.						
11-7CCC-JX	N-X6D49	7	2 $\frac{1}{8}$	12 $\frac{1}{2}$	$\frac{11}{64}$	212 .20
Fifty lbs. in box.						
11-8CCC-JX	N-X12D86★	8	2 $\frac{3}{8}$	11 $\frac{1}{2}$	$\frac{9}{32}$	144 .20
100 lbs. in box.						
11-10CCC-JX	N-X6D31	10	2 $\frac{7}{8}$	11	$\frac{19}{64}$	105 .20
Fifty lbs. in box.						

CEMENT COATED SINKER TYPE NAILS

Per Box	Size	Lgth., ins.	Wire Gauge No.	Diam. Head	Approx. No. to lb.	Per lb.
11-16CCC-JX	N-X6D19★	16	3 $\frac{1}{4}$	9	$\frac{11}{16}$	64 \$0.20
11-20CCC-JX	N-X6D16	20	3 $\frac{3}{4}$	7	$\frac{3}{8}$	39 .20
Fifty lbs. in box.						

CEMENT COATED EGG CASE NAILS



Flat Head, Diamond Point

Per Box	Size	Lgth., ins.	Wire Gauge No.	Diam. Head	Approx. No. in lb.	Per lb.
11-3CCEC-JX	N-X15D62	3	1 $\frac{1}{8}$	15	$\frac{7}{32}$	732 \$0.23
100 lbs. in box.						

CEMENT COATED WIRE BOX NAILS



Flat Head, Diamond Point

Box nails are recommended for use in nailing machines.

Per Box	Size	Lgth., ins.	Wire Gauge No.	Diam. Head	Approx. No. in lb.	Per lb.
11-4CCB-JX	N-X14D90	4	1 $\frac{3}{8}$	15 $\frac{1}{2}$	$\frac{13}{64}$	680 \$0.22
11-5CCB-JX	N-X14D38	5	1 $\frac{5}{8}$	15	$\frac{7}{32}$	510 .21
100 lbs. in box.						
11-6CCB-JX	N-X6D94★	6	1 $\frac{7}{8}$	13 $\frac{1}{2}$	$\frac{1}{4}$	315 .20
11-7CCB-JX	N-X6D64	7	2 $\frac{1}{8}$	13 $\frac{1}{2}$	$\frac{1}{4}$	280 .20
11-8CCB-JX	N-X6D52★	8	2 $\frac{3}{8}$	12 $\frac{1}{2}$	$\frac{17}{64}$	190 .20
Fifty lbs. in box.						

STEEL CUT NAILS



(Illustrations full size)

Hinge—Flat Head

25 lb. Boxes

Especially annealed for use with strap and T-hinges

Per Box	Size	Length, inches	No. in lb.	Per lb.
11-6SC-JX	N-X4D70	6	2	90 \$0.25
11-8SC-JX	N-X4D65★	8	2 $\frac{1}{2}$	62 .25
11-10SC-JX	N-X4D60	10	3	43 .25
25 lbs. in box.				

CONCRETE SCREW NAILS

HELYX



For fastening wood or steel to masonry

6 Gauge

No drilling or plugging, drive like a nail, turns and holds like screw. Eliminates the use of expansion bolts.

Recommended for fastening cornices, flashings, conductor straps, pipe clamps, etc.

 $\frac{3}{4}$ inch for cornices, flashings, etc.

1 inch for sheet metal work.

1 $\frac{3}{4}$ inch for 1x2 furring strips2 $\frac{3}{4}$ inch for fastening 2x4 and 2x6 to concrete.

1 lb. Boxes


Per Box	Length, ins.	Count per lb.	Per Box
L6273J	N-D6C0	1	204 \$0.85
L6274J	N-D5C5★	1 $\frac{3}{4}$	112 .85
L6275J	N-D5C3★	2 $\frac{3}{4}$	60 .80

25 lb. Boxes

Per Box	Length, ins.	Count per lb.	Per lb.
11-25/1 $\frac{3}{4}$ CS-J	N-X12D50	1 $\frac{3}{4}$	112 \$0.75
11-25/2 $\frac{3}{4}$ CS-J	N-X11D95★	2 $\frac{3}{4}$	60 .75

MASONRY NAILS

PARKER-KALON



For making fastenings to brick, mortar, concrete, etc.

Hardened steel corrugated body with large round head and sharp point. Zinc plated.

Per Box	Diameter, in.	Length, ins.	Wt. Box, lbs.	Each
L4847J	D7C0	$\frac{1}{8}$	$\frac{3}{4}$	$\frac{1}{2}$ \$0.02
L4848J	D8C5★	$\frac{5}{16}$	1	$\frac{3}{4}$.03
L4849J	X1D15	$\frac{3}{16}$	1 $\frac{1}{4}$	1 $\frac{3}{4}$.04
L4850J	X1D75★	$\frac{1}{4}$	1 $\frac{1}{2}$	2 $\frac{1}{2}$.05
L4851J	X2D05	$\frac{1}{4}$	2	3 $\frac{1}{8}$.06
L4852J	X2D40★	$\frac{1}{4}$	2 $\frac{1}{2}$	4 .07

One hundred in box

Sold Only in Full Boxes

STAR ★ DENOTES BEST SELLER

ALUMINUM NAILS

NICHOLS

Direct Shipment Only

In 50 lb. Cartons

For siding, batten, shingles, plaster board and roofing.

Can not rust or streak buildings. Sanitary. Maximum holding power.

A 50 lb. carton of aluminum nails contains 50% more nails than a 100 lb. keg of the same size steel nails.

✦COMMON-J

Etched

Size	Per Ctn.	Length, ins.	Gauge	Head, in.	No. to lb.	Per lb.
4D	X53D59	1½	12½	¼	800	\$1.50
6D	X50D19	2	11	1¼	425	1.45
8D	X48D41	2½	9	9/32	230	1.40
10D	X47D47	3	8	5/16	165	1.35
16D	X47D36	3½	7	11/32	120	1.35
20D	X47D45	4	5¼	13/32	78	1.35

✦SHINGLE STANDARD-J

Etched

Size	Per Ctn.	Length, ins.	Gauge	Head in.	No. in lb.	Per lb.
7/8x12½x9/32	X54D83	7/8	12½	9/32	1313	\$1.50
3D	X52D76	1¼	12½	9/32	1009	1.50

✦ROOFING-J

Etched

Length, ins.	Per Ctn.	Gauge	Head in.	No. to lb.	Per lb.
7/8	X51D92	10	7/16	663	\$1.45
1	X51D38	10	7/16	605	1.45
1¼	X50D42	10	7/16	491	1.40
1½	X49D95	10	7/16	417	1.40
1¾	X49D60	10	7/16	368	1.35
2	X49D60	10	7/16	336	1.35
2½	X49D71	10	7/16	274	1.35

With 3/8 inch Neoprene Washer Attached

Length, ins.	Per Ctn.	No. to lb.	Per lb.
1¾W	X80D78	318	\$1.15
2W	X78D03	285	1.15

✦ASBESTOS SIDING-J

Etched

Length, ins.	Per Ctn.	Gauge	Head in.	No. to lb.	Per lb.
1¼	X57D42	13	3/16	1230	\$1.65
1¾	X53D12	12½	3/16	720	1.50

✦WOOD SIDING NAILS-J

Casing Head

Size	Per Ctn.	Length, ins.	Gauge	Head in.	No. to lb.	Per lb.
6D	X52D48	17/8	11¾	9/64	600	\$1.50
8D	X50D11	23/8	10½	5/32	343	1.45

Sinker Head

Size	Per Ctn.	Length, ins.	Gauge	Head in.	No. to lb.	Per lb.
6D	X51D73	17/8	11¾	17/64	566	\$1.45
8D	X49D36	23/8	10½	19/64	319	1.40
10D	X47D87	27/8	9½	5/16	215	1.35

✦PLASTER BOARD-J

Length, ins.	Per Ctn.	Gauge	Head in.	No. to lb.	Per lb.
11/8	X55D19	12½	5/16	988	\$1.55
1¼	X54D72	12½	5/16	939	1.50
1½	X52D81	12	5/16	725	1.50

✦ASBESTOS SHINGLE-J

Length, ins.	Per Ctn.	Gauge	Head in.	No. to lb.	Per lb.
1¼	X54D60	11½	5/16	785	\$1.50
1½	X53D29	11½	5/16	659	1.50
1¾	X52D04	11½	5/16	544	1.50

✦CEDAR SHAKE-J

Length, ins.	Per Ctn.	Gauge	Head in.	No. to lb.	Per lb.
1¼	X58D26	13½	5/32	1300	\$1.65
1¾	X53D12	12½	5/32	724	1.50

Barbing Extra on All Aluminum Nails, X1D28 per 50 lb. Carton.

Terms—1% 10 Days, 30 Days Net.

Items marked ✦ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., Davenport, Iowa. Full freight allowed on shipments of 150 lbs. No freight allowed on shipments of less than 150 lbs.

ALUMINUM NAILS

ASBESTOS SIDING

NICHOLS



File-grip for Face Nailing

Length 1 3/4 inches. Gauge .114. Head .215 inches. Number in box 900.

(FGAS1 3/4)

Per Box		Per Box
L5885J	X1D81 ★	\$2.75

Thirty-six boxes in ctn. Wt. ctn. 50 lbs.

SIDING NAILS



Asbestos Siding Nail

(AS1 1/4)

Per Box		Lgth., ins.	Gauge	Head, ins.	No. per Box	Wt. Ctn., lbs.	Per Box
L6263J	N-D9C0 ★	1 1/4	13	3/16	885	54	\$1.35

Forty-eight boxes in ctn.

(AS1 3/4)

L6264J	N-X1D27	1 3/4	12 1/2	3/16	885 1800	54	1.90
--------	---------	-------	--------	------	---------------------	----	------

Thirty-six boxes in ctn.



Wood Siding Nail—Sinker Head

Per Box		Lgth., ins.	Gauge	Head, ins.	No. per Box	Wt. Ctn., lbs.	Per Box

(WS6)

L6269J	N-X1D22 ★	1 7/8	12	1 1/4	575	49 1/2	\$1.85
--------	-----------	-------	----	-------	-----	--------	--------

(WS7)

L6270J	N-X1D47	2 1/8	11 1/2	1 1/4	575	58 1/2	2.20
--------	---------	-------	--------	-------	-----	--------	------

Thirty-six boxes in ctn.

(WS8)

L6271J	N-X2D07 ★	2 3/8	10 1/2	1 1/4	575	54	3.15
--------	-----------	-------	--------	-------	-----	----	------

(WS10)

L6272J	N-X1D74	2 7/8	9	3/16	290	48	2.65
--------	---------	-------	---	------	-----	----	------

Twenty-four boxes in ctn.

Sold Only in Full Boxes

ALUMINUM NAILS

SIDING NAILS



Wood Siding Nail—Casing Head

Per Box		Lgth., ins.	Gauge	Head, in.	No. per Box	Wt. Ctn., lbs.	Per Box

(WS6C)

L5879J	N-X1D16*	1 7/8	12	3/4	575	49 1/2	\$1.75
--------	----------	-------	----	-----	-----	--------	--------

(WS7C)

L5880J	N-X1D40 ★	2 1/8	11 1/2	3/4	575	58 1/2	2.15
--------	-----------	-------	--------	-----	-----	--------	------

Thirty-six boxes in ctn.

(WS8C)

L5881J	N-X1D98 ★	2 3/8	10 1/2	5/32	575	54	2.95
--------	-----------	-------	--------	------	-----	----	------

(WS10C)

L5882J	N-X1D68	2 7/8	9 1/2	3/16	290	48	2.55
--------	---------	-------	-------	------	-----	----	------

Twenty-four boxes in ctn.



1 3/4 inch Cedar Shake Nails

(CS1 3/4)

Per Box		Lgth., ins.	Gauge	Head, in.	No. per Box	Wt. Ctn., lbs.	Per Box
L5883J	N-X2D65 ★	1 3/4	12 1/2	5/32	1680	60	\$3.95

Twenty-four boxes in ctn.

ROOFING NAILS



Screw shank, with Neoprene washer attached.

Per Box		Lgth., ins.	Gauge	Head, in.	No. in Box	Wt. Ctn., lbs.	Per Box

(N1 3/4)


L6265J	N-X6D38 ★	1 3/4	9 1/4	7/16	1050	41 1/4	\$9.75
--------	-----------	-------	-------	------	------	--------	--------

(N2)

L5884J	N-X6D93	2	10	7/16	1050	42 1/2	10.50
--------	---------	---	----	------	------	--------	-------

Ten boxes in ctn.

LATH NAILS



Gypsum Lath Nail

Length 1 1/4 inches, gauge 12 1/2, head 5/16 inches, No. per box 2666.


(RL1 1/4)

Per Box		Per Box
L6266J	N-X3D35 ★	\$4.95

Sixteen boxes in ctn. Wt. ctn. 56 lbs.

HORSESHOE NAILS

CAPEWELL



No. 5

No. 6

No. 7

No. 8

Made of the best grade of steel, smooth and even. Not brittle.

Regular Head

Specifications:

Size No.	Length, ins.
5	1 $\frac{7}{8}$
6	2 $\frac{3}{16}$
7	2 $\frac{5}{16}$
8	2 $\frac{1}{2}$

In Five Pound Boxes

Per Box

L5554J N-X3D50 (55R)

L5555J N-X3D15 ★ (56R)

L5560J N-X3D15 ★ (57R)

L5561J N-X2D51 (58R)

Five boxes (25 lbs.) in ctn.

City Head

Specifications:

Size No.	Length, ins.
5	1 $\frac{7}{8}$
6	2 $\frac{3}{16}$
7	2 $\frac{5}{16}$

In Five Pound Boxes

Per lb.

Per Box

L5551J N-X3D50 ★ (55C)

1.00

L5552J N-X3D15 (56C)

1.00

L5553J N-X3D15 (57C)

.75

Per lb.

\$1.10

1.00

1.00

1.00

Five boxes (25 lbs.) in ctn.

U. S. Bureau of Standards

TABLE OF

METRIC EQUIVALENTS

METER = 39.37 INCHES

Legal Equivalent Adopted by Act of Congress, July 28, 1866

LENGTH

Centimeter	=	0.3937	inch
Meter	=	3.28	feet
Meter	=	1.094	yards
Kilometer	=	0.621	statute mile
Kilometer	=	0.5396	nautical mile
Inch	=	2.540	centimeters
Foot	=	0.305	meter
Yard	=	0.914	meter
Statute mile	=	1.61	kilometers
Nautical mile	=	1.853	kilometers

AREA

Sq. centimeter	=	0.155	sq. inch
Sq. meter	=	10.76	sq. feet
Sq. meter	=	1.196	sq. yards
Hectare	=	2.47	acres
Sq. kilometer	=	0.386	sq. mile
Sq. inch	=	6.45	sq. centimeters
Sq. foot	=	0.0929	sq. meter
Sq. yard	=	0.836	sq. meter
Acre	=	0.405	hectare
Sq. mile	=	2.59	sq. kilometers

VOLUME

Cu. centimeter	=	0.0610	cu. inch
Cu. meter	=	35.3	cu. feet
Cu. meter	=	1.308	cu. yards
Cu. inch	=	16.39	cu. centimeters
Cu. foot	=	0.0283	cu. meter
Cu. yard	=	0.765	cu. meter

CAPACITY

Milliliter	=	0.0338	U. S. liq. ounce
Milliliter	=	0.2705	U. S. apoth. dram
Liter	=	1.057	U. S. liq. quarts
Liter	=	0.2642	U. S. liq. gallon
Liter	=	0.908	U. S. dry quart
Dekaliter	=	1.135	U. S. pecks
Hectoliter	=	2.838	U. S. bushels
U. S. liq. ounce	=	29.57	milliliters
U. S. apoth. dram	=	3.70	milliliters
U. S. liq. quart	=	0.946	liter
U. S. dry quart	=	1.101	liters
U. S. liq. gallon	=	3.785	liters
U. S. peck	=	0.081	dekaliter
U. S. bushel	=	0.3524	hectoliter

WEIGHT

Gram	=	15.43	grains
Gram	=	0.772	U. S. apoth. scruple
Gram	=	0.2572	U. S. apoth. dram
Gram	=	0.0353	avoir. ounce
Gram	=	0.03215	troy ounce
Kilogram	=	2.205	avoir. pounds
Kilogram	=	2.679	troy pounds
Metric ton	=	0.986	gross or long ton
Metric ton	=	1.102	short or net tons
Grain	=	0.0648	gram
U. S. apoth. scruple	=	1.296	grams
U. S. apoth. dram	=	3.89	grams
Avoir. ounce	=	28.35	grams
Troy ounce	=	31.10	grams
Avoir. pound	=	0.4536	kilogram
Troy pound	=	0.373	kilogram
Gross or long ton	=	1.016	metric tons
Short or net ton	=	0.907	metric ton

QUALITY



COUNTS

DECORATED BUILDING PAPER**FLEMING'S WALLRITE****"Super Grade"**

A new dimension in wall beauty and room decoration. Rich decorator patterns and clear light delicate backgrounds on heavy building paper. Can be applied by pasting or tacking over wood walls, wallboard, plaster, old wallpaper, etc.
In rolls of 200 square feet. All designs 36 inches wide. Ceiling 30 inches wide.

**Ivy**

Sparkling green freshness of trailing leaves. Stylized brick background in white and pearly grey.

**Rose**

Dazzling all-over floral pattern. Rich red and rose colored blossoms with green foliage on snowy white background.

**Pastoral**

Depicted in magenta red on oyster white background.

**Ceiling**

Leaf patterned effect traced in silvery tones of grey and white.

Per Roll		Pattern	Per Roll
3-SIP-J	X1D45★	Ivy	\$2.25
3-SPP-J	X1D45	Pastoral	2.25
3-SRP-J	X1D45	Rose	2.25
3-SCR-J	X1D45★	Ceiling	2.25

Wt. roll 8 lbs.

WALLPAPER TACKS**AMERICAN****For Use with Decorated Building Paper**

Steel, large head, needle point. Baked enamel finish in soft pastel shades.

No. 4—Length $\frac{7}{16}$ inches **$\frac{1}{2}$ Lb. Pkgs.**

Per Pkg.		Color	Per Pkg.
L5686J	D2C2★ (4GN)	Green	\$0.35
L5687J	D2C2 (4GY)	Gray	.35
L5688J	D2C2 (4RD)	Red	.35

100 pkgs. in ctn.

DECORATED BUILDING PAPER**FLEMING'S WALLRITE**

An economical, easy to apply decorated paper to beautify the home, protect against winter cold and dampness and keep out summer heat and dust.

Can be pasted or tacked over any smooth wall surface.

Width 36 inches, (twice the width of ordinary wall paper) comes in rolls well wrapped to keep it clean. Has marginal guides so that patterns can be matched when hanging.

Requires only one roll 500 square feet to cover an average 12x12 room.

Can be wiped with damp cloth without danger of smearing the colors.

All Designs—Width 36 inches. 500 square feet—150 lineal feet.

Ceiling—Width 32 inches. 450 square feet—168 lineal feet.

Full Roll—450 square feet—168 lineal feet.

Per Roll		Design	Per Roll
3-DAH-J	X2D25	Dahlia	\$3.25
3-MAG-J	X2D25	Magnolia	3.25
3-GL-J	X2D25	Green Leaf	3.25
3-NOS-J	X2D25	New Orleans	3.25
3-WIV-J	X2D25	Wall Ivy	3.25
3-OR-J	X2D25	Old Rose	3.25
3-WT-J	X2D25	Western	3.25
3-KRW-J	X2D25	Checkerboard	3.25
3-MD-J	X2D25	Medallion	3.25
3-BRF-J	X2D25★	Blue Rose	3.25
3-F-E	X2D25	Fern	3.25
3-DG-J	X2D25	Dogwood	3.25
3-CEF½-J	X1D26★	Ceiling	1.95
3-TYR-J	X2D25★	Texas Rose	3.25
3-GS-J	X2D25	Green Stripe	3.25

Wt. roll 16½ lbs.

Sold Only in Full Rolls

DECORATED BUILDING PAPER

WALLRITE'S

Decor Line

Per Roll		Design	Per Roll
3-SHR-J	X2D48	Sweetheart Rose	\$3.69
3-DG-J	X2D48	Dogwood	3.69
3-TBU-J	X2D48	Tru Blu	3.69
3-CEF $\frac{1}{2}$ -J	X1D37	Ceiling	2.05
3-GL-J	X2D48	Green Leaf	3.69
3-VTR-J	X2D48	Velvet Rose	3.69
3-SNB-J	X2D48	Sun Burst	3.69
3-DAH-J	X2D48	Dahlia	3.69
3-F-J	X2D48	Fern	3.69
3-ANG-J	X2D48	Autumn Gold	3.69
3-SG-J	X2D48	Spring Gold	3.69
3-KN-J	X2D48	Kitchen	3.69
3-SBT-J	X2D48	Show Boat	3.69
3-MAG-J	X2D48	Magnolia	3.69

Wt. roll 15 lbs.

Sold Only in Full Rolls

WALLPAPER TACKS

AMERICAN

For Use with Decorated Building Paper

Steel, large head, needle point. Baked enamel finish in soft pastel shades.

No. 4—Length $\frac{7}{16}$ inches $\frac{1}{2}$ Lb. Pkgs.

Per Pkg.		Color	Per Pkg.
L5686J	D2C2★ (4GN)	Green	\$0.35
L5687J	D2C2 (4GY)	Gray	.35
L5688J	D2C2 (4RD)	Red	.35

100 pkgs. in ctn.



SWEETHEART ROSE . . . pink, red, green combine to make this a lovely pattern.



TRU-BLU . . . Small rose pattern in cool blue colors with green blue leaves and ferns. Black used sparingly adds depth.



VELVET ROSE . . . green, blue, and red in a large rose pattern adds luster to your home.



AUTUMN GOLD . . . a rust colored background with metallic gold and silver overprinting . . . a truly elegant pattern.



SPRING
ground
pattern.
rooms.

25TH

Wallrite's ANNIVERSARY

25 years of manufacturing
and merchandising
experience

NEW PERFORATION MAKES:

- ☆ Easier Hanging in 18" Widths
- ☆ More *Wallrite* Customers
- ☆ More PROFITS for the Dealer

WALLRITE'S new and more colorful Anniversary patterns will appeal to a larger market. They are ideal for rural homes and modest homes in small towns and cities. For 25 years WALLRITE has been an ideal product sold through Hardware dealers, Paint stores, Lumber yards, Building Material dealers and general merchandise stores. WALLRITE IS THE IDEAL WALLCOVERING FOR THRIFTY PEOPLE.

NOW-for the first time
16 Different Patterns
To Choose From.

Wallrite

DECORATED BUILDING PAPER [®]

features that make **Wallrite** the

No. 1 "Do-It-Yourself" Wallcovering

- WALLRITE is a decorated building paper, beautifully designed and colorful.
- There is a pattern for every room in the house.
- Sturdy, building-paper weight helps keep out dust, drafts and cold, damp winds.
- Priced within reach of even lowest-income families. One roll covers walls of average room.
- Anyone can apply WALLRITE easily and quickly by pasting it directly over wood walls, wallboard, plaster, old wallpaper, etc. No canvas, felt or other backing needed.
- Marginal guides make it simple to match pattern. Complete directions on each roll.
- Can be cleaned with damp cloth. Colors won't smear when wet.
- Comes in building-paper size rolls; 36 in. wide, including $\frac{1}{4}$ -in. lapping margin; and is perforated in 18" widths for easier handling; contains 400-450 sq. ft. Weight, about 14-15 pounds.
- Substantial profit margin for jobber and dealer.



Wallrite
DECORATED BUILDING PAPER®

WALLRITE

FLEMING AND SONS, INC.

P. O. BOX 1291 • DALLAS 21, TEXAS

For Details on
Advertising and
Selling Aids
Write Direct to:

Writ's Color Line

years of
and
experience,

ns, Inc.
market
more color
ns.

original
URSELF''
DING PAPER

g in 18'' strips

S


FUL

LY

AUTIFIES



CHERRY . . . pink background, rose, orange, black and white for a cheerful hen.



CEILING . . . this pattern, of course, must be neutral so it can be used with many colors and designs. This is a great improvement in styling.



SUNBURST . . . this pattern, in yellow, green, and pleasing buff will brighten your home.



SHOW BOAT . . . delightfully designed in green, grey, and black with an attractive textured background . . . will bring zest to any room or hallway.

FOR THRIFTY HOMEMAKERS
WALLRITE IS THE SIMPLE
WAY TO ROOM BEAUTY.



GREEN LEAF . . . dark green and white in a sharp pattern which gives an impression of the outdoors and spaciousness . . . good for living room, bedrooms and hallways.



DAHLIA . . . a bold design to give walls a definite decorative theme . . . scarlet-red, soft-green and earth-brown are attractively arranged.



MAGNOLIA . . . for a beautiful room of soft light and silver-grey, with touches of sky-blue, this is the perfect blending . . . for any room in the house.



DOGWOOD . . . green, brown, pink and white have been skillfully blended in this beautiful pattern . . . to be used anywhere a gay and fresh atmosphere is desired.



BLUE ROSE . . . cool blue and a delicate green are used to create a design that beautifies living rooms and bedrooms especially.




FERN . . . two shades of green on a grey background . . . fresh and cooling . . . ideal for a room that has a great amount of sunshine.



WALL IVY . . . the brick background offers an interesting structural effect while the colors of green and red enliven the entire design in a pleasing manner.

WALLRITE DISPLAY RACK FLEMING'S



Put Wallrite out where it can be seen.

Fits any floor plan. Use as counter or floor display. It can even be used as an island backed up with related items.

Wood with handsome lacquer finish.

All ten patterns can be shown.

Width 12 inches. Length 30 inches.

Each

3-WDR-J X5D00

One in ctn. Wt. ctn. 10 lbs.

ASBESTOS PAPER SHAPLEIGH'S



The ideal heat-resisting covering.

Fire-resisting, non-conductive. Made of the finest high-grade, carefully selected long fiber asbestos.

50-Pound Rolls

Per Roll		Thick- ness, ins.	Wt. per 100 Sq., ft., lbs.	Per lb.
3-1816½-J	N-X8D61★	18	½	16 \$0.25
3-1832½-J	N-X8D61	18	⅞	32 .25
3-3616½-J	N-X8D61	36	½	16 .25
3-3632½-J	N-X8D61	36	⅞	32 .25

10-Pound Rolls

Per Roll		Thick- ness, ins.	Wt. per 100 Sq., ft., lbs.	Per lb.
3-1010-J	N-X1D80★	18	.022	10 \$0.25

Rolls wrapped and headed

Sold Only in Full Rolls

ASBESTOS PAPER SAL-MO



Fire-proof material for covering furnace pipes, protect walls from heat and sparks, making cushions under ironing board pads, hotpads, stove mats, leak-proof joints and many other uses.

Fine quality asbestos paper rolls, 18 inches wide, 12 feet long. Weight per roll 2 lbs.

Eighteen rolls in an attractive counter display carton.

Per Ctn. 3-1218J N-X9D20..... \$0.85

Eighteen rolls in ctn. Wt. ctn. 37 lbs.

Sold Only in Full Cartons

GRANT WILSON



Handy Household Rolls

Protects home, workshop, garage, farm against fire, heat, acids, insects. Used for lining oven, wall, bin, etc., as mats or pads on stove, table, ironing boards, etc., for covering furnace pipe, hot water tanks, etc.

Made to close thickness tolerances with unusual tensile strength. Handles and cuts easily.

Twelve rolls in attractive display carton that takes only 1½ square feet of counter space.

18x110 inch Rolls

Per Display 3-14840E X6D20..... \$0.79

Three display ctns. in case. Wt. case 36 lbs.

ASBESTOS PIPE JOINT TAPE


For sealing joints. Insures a nice clean job. 3 inches wide. Approximately 84 lineal feet in a roll.

Per Roll 3-APT3-J D6C0★..... \$0.95

Twelve rolls in pkg.

Twelve rolls in pkg. Wt. pkg. 30 lbs.

ASBESTOS INSULATING CEMENT



A fire-proof and vermin-proof cement that can be applied to any heated surface, flat, smooth, irregular or rough. Can be used dry or mixed with water—requires no painting.

For insulating and fire-proofing all types of heating equipment for greater efficiency, lower fuel costs, better appearance and greater safety.

Also for patching damaged insulation, filling small cracks and air leaks in chimney brick work, around smoke pipe and heating pipes of walls, ceilings and partitions for safety.

Per Case (6 pkgs.) Per Pkg.

3-1C10-J N-X2D90★..... \$0.95

10 lb. ctn. Wt. case 60 lbs.


Sold Only in Full Cases

Per Bag (6 pkgs.) Per Bag

3-1C50-J N-X1D60..... \$3.25

50 lb. bag

ASBESTOS MILL BOARD



Used for partitions, protection for walls and ceilings, fire screens. Also for lining stoves and furnaces.

Very attractive in appearance. Made of pure asbestos fibre, combined with suitable bonding material, with one side smooth. White color.

In Sheets 42x48 inches

Per Sheet	Thick- ness, in.	Sheets in Ctn.	Per Sheet
3-100⅞-J	N-X1D50★	⅞	12 \$2.25
3-100¼-J	N-X2D93	¼	6 4.35

Wt. ctn. 120 lbs.

Sold Only in Full Cartons

STAR ★ DENOTES BEST SELLER

ROOFING**SHAPLEIGH'S****Slate Surfaced, 90 lbs.**

Can be used on any type building as well as for siding or paneling. It is spark-proof and a protection against fire.

High-grade long fibre rag felt base, fully saturated with pure asphalt, then coated with a heavy tough asphalt into which is embedded crushed slate of natural attractive colors on exposed side. Along upper edge of each roll is a smooth strip 2 inches wide to permit making lap that will cement water-tight. Absolutely no mineral filler is used in the asphalt coating. It is 100 percent pure.

Approved by National Board of Fire Underwriters

Conforms to government specifications No. SSR521.

In rolls 36 inches wide, 108 square feet in a roll, sufficient to cover 100 square feet of surface.

Complete with Nails and Cement

Per Roll		Color	Per Roll
3-JGS-J	N-X3D12★	Jade Green	\$4.75
3-TRS-J	N-X3D12	Tile Red	4.75
3-BS-J	N-X3D12	Black	4.75

Wt. roll 90 lbs.

Sold Only in Full Rolls

Super Smooth—Mica Surface

A beautiful, brilliant and durable roofing that will give long satisfactory service.

Best quality long fibre felt, thoroughly saturated with pure asphalt, then coated with pure tough asphalt, and surfaced with Mica rock scales.

Great strength, flexibility, elasticity and toughness—a combination of which means the ability to withstand water, excessive heat, sudden changes in temperatures and decomposition.

In rolls 36 inches wide, 108 square feet in a roll, sufficient to cover 100 square feet of surface.

Approved by National Board of Fire Underwriters

Complete with Nails and Cement

Per Roll		Wt. Roll, lbs.	Per Roll
3-SM55-J	N-X2D25★	55	\$2.40
3-SM65-J	N-X2D58	65	3.95

Sold Only in Full Rolls

ROOFING**SHAPLEIGH'S****Super Smooth—Mica Surface**

Made of high-grade felt base thoroughly saturated with refined asphalt and coated with a heavy surface of genuine asphalt, so that it will give many years of service.

Absolutely waterproof—resists summer heat without deterioration. Does not absorb moisture and is not affected by frost, cold or rain. Will not dry out nor oxidize.

In rolls 36 inches wide, 108 square feet in a roll, sufficient to cover 100 square feet of surface.


Does Not Carry the National Board of Fire Underwriters Label

Complete with Nails and Cement

Per Roll		Per Roll
3-SM45-J	N-X1D79★	\$2.75

Wt. roll 45 lbs.

Sold Only in Full Rolls

ROOFING SHINGLES**SHAPLEIGH'S****Slate Surface**

Heavy rag felt base, thoroughly saturated with refined asphalt, then coated with a layer of pure asphalt containing absolutely no mineral filler, into which is embedded a layer of crushed slate. Will not curl.

Has the same thickness all over, being as heavy at the top as a thick butt shingle is at the bottom. Resists wind pressure.

Square Tab—Three in One

Three tab—12x36 inches, 80 strips to a square. Layed 5 inches exposed.

Approved by National Board of Fire Underwriters and Conforms with F. H. A. Specifications

Per Square		Color	Per Square
3-NST1-J	N-X6D62★	Jade Green	\$9.95
3-NST6-J	N-X6D62	Blue Blend	9.95

One-third square in ctn. Wt. square 210 lbs.

Nails Not Included

STAR ★ DENOTES BEST SELLER

DEADENING FELT**Unsaturated**

Used between walls and flooring to make sound-proof and to keep out cold. Also as carpet lining and to wrap around pipes to protect them from freezing.

Made from good grade soft felt, free from imperfections.

Width 36 inches

In rolls of 50 square yards.

		Wt. Sq. Yd., lbs.	Wt. Roll, lbs.	Per Roll
Per Roll				
3-3/4DF-J	N-X2D27★	3/4	37	\$3.45
3-1DF-J	N-X2D98	1	50	4.50

Sold Only in Full Rolls

ASPHALT FELT

Felt, saturated with pure asphalt. Approved by National Board of Fire Underwriters.

Width 36 inches

Per Roll		App. Wt. per Sq. (108 Sq. Sq. Ft. Ft.) lbs. in Roll	Per Roll
3-AF15-J	N-X2D31★	15	432 \$3.50
3-AF30-J	N-X2D31	30	216 3.50


Approximate wt. roll 65 lbs.

Sold Only in Full Rolls

SHAPLEIGH'S BRICK SIDING

(Put Up in Roll Roofing Form)

SIMULATES FINE FACE BRICK



The lower roll shown on above cut on figure "A" shows how the soldier course is applied.

The two top rolls show how our Shapleigh's roll brick siding is applied.

The dark background on figure "A" shows No. RWB rigid water-proof board as applied on irregular surface in order to make smooth surface for the brick siding application.

The upright left hand portion of figure "A" shows our preformed corners. A cut-out on figure "B" gives a more detailed view of the construction of these corners.

SHAPLEIGH'S ROLL BRICK SIDING

Put up in rolls 32 inches wide by 43 feet long. There is an unsurfaced margin of $1\frac{1}{16}$ inches allowed for lapping. There are 5 rows of courses of brick in each 16 inch section. The size of each brick is approximately $2\frac{1}{2}$ inches wide and approximately $8\frac{1}{4}$ inches long. The width of the black mortar lines are approximately $\frac{1}{16}$ inch. Each roll contains 2 strips 16 inches wide, 43 feet long and will cover one square.

Red Blend with Black Mortar Lines

Per Square	Per Square
3-S608-J N-X3D78	\$5.75

Buff Blend with Black Mortar Lines

3-S607-J N-X3D78	5.75
------------------------	------

No nails included. Wt. square 105 lbs.

For Beautifying Sides of All Types of Frame Buildings, Homes, Garages, Club Houses, etc.

Twelve reasons why you should use Shapleigh's economy brick siding.

1. Modernizes.
2. Insulates.
3. Year Round Comfort.
4. Beautifies.
5. Saves Painting.
6. Saves Fuel.
7. Dust Proof.
8. Keeps Out Draft.
9. Warmer in Winter.
10. Cooler in Summer.
11. Keeps Out Street Noises.
12. Looks Like Fine Brick.

Where sidings are smooth and level, brick siding alone may be successfully applied.

Where sidings are not smooth and level, we recommend rigid water-proof board first be applied. This will give you a perfect surface, making a perfect job for the brick siding besides furnishing additional insulation.

The use of soldier course for bottom is optional—this simply makes a little more decorative looking job. Our preformed corners will help make the job more secure and dressy.

STONE SIDING

SHAPLEIGH'S ECONOMY

(IN ROLL ROOFING FORM)

For Beautifying Sides of Frame Buildings, Homes, Garages, Club Houses, etc.

Simulates a fine job of stone work. Has all the fine features of our ECONOMY brick siding and is applied in the same way.



Stone Color with Black Mortar Lines

In rolls 16 inches wide, 41 feet long with plain margin $1\frac{1}{16}$ inches wide for lapping. Two rolls will cover 100 square feet.

Per Square	Per Square
(2 Rolls)	(2 Rolls)
3-611-J N-X3D78★	\$5.75

Wt. square (2 rolls) 100 lbs.

Sold Only in Full Rolls

(Nails Not Included)

BUILDING PAPERS**Rosin Sized Sheathing****Red Color**

Made of paper stock, rosin sized to protect from dampness.

Used for sheathing under weather board and for lining out buildings.

Width 36 inches

In rolls of 500 square feet.



Per Roll
3-R20-J N-X1D38★..... \$2.50

Wt. roll 20 lbs.

Sold Only in Full Rolls

ROOFING WASHERS**Lead**

These washers are used in putting on corrugated roofing and siding. By their use, an absolutely water-tight joint is made immediately under the nail head. Preventing the accumulation of water or loosening of the iron around the nails. The use of the lead washers is approved by architects.

One pound will put on two or three squares of roofing. Outside diameter $\frac{1}{2}$ inch. Hole $\frac{3}{32}$ inch. About 300 washers to a lb.

Per Box	Wt. Box, lbs.	Per lb.
M-2070J (2) N-X1D65	5	\$0.55
O-2-J (2) N-X32D10★	100	.55

ROOFING CAPS**AMERICAN****Bright Tin Finish**

Convex head. Diameter $1\frac{1}{4}$ inches. Approximately 225 to a lb.

Per Pound	Per Pound
3-1C-J N-D1C8★.....	\$0.30

Twenty-five lbs. in ctn.

Sold Only in Full Cartons

CONDUCTOR PIPE STRAINERS**MID-WEST**

Steel 14 gauge wire, basic dipped in high quality aluminum dipping enamel. Well made.

Each	Type	For Pipe, ins.	Wt. Each, ozs.	Each
4-R2-E	D1C4 $\frac{1}{2}$	Round 2	4	\$0.25
4-R3-E	D1C7	Round 3	5 $\frac{1}{2}$	.30
4-R4-E	D1C9	Round 4	7	.35
4-S3-E	D1C7	Square 3	5 $\frac{1}{2}$	.30

Twelve in ctn.

EASY FORMING COIL**KAISER ALUMINUM****Roll Valley Flashing**

Rust-proof, no staining or streaking on siding or roofs. Many uses: Domestic, Mill or Warehouse. Roof flashing, chimneys, vent flashing for termite shields, for eave flashings and for doors and windows.

.016 Gauge**50 Ft. Coils**

Per Coil	Girth in.	Wt. Pkg. lbs.	Per Ft.
4-R57-J X8D00.....	14	15	\$0.16
4-R58-J X12D00.....	20	22	.24

One coil in pkg.

ROLL VALLEY**29-Gauge Galvanized Seamless Steel****50 Ft. Rolls**

Per Roll	Size in.	Wt. Pkg. lbs.	Per Ft.
21-G14-J N-X9D41	14	42	\$0.30
21-G20-J N-X12D07	20	60	.40

One Roll in pkg.

STYLE K BOX GUTTERS



Regular
28-Gauge Galvanized Steel
Size 5 inch—Girth 12 inches—Length 10 Feet.
Each \$2.15
21-5KG-J N-X1D43
Ten in bdl. Wt. bdl. 75 lbs.

STYLE K GUTTER MITRES



50M 51M
28-Gauge Galvanized Steel
Size 5 inch
Each \$1.50
21-50M-J N-D9C8 Type Outside
21-51M-J N-D9C8 Type Inside
Twenty in ctn. Wt. ctn. 25 lbs.

STYLE K GUTTER ACCESSORIES

28-Gauge Galvanized Steel



5SE 5SJ 5F, 7GS, 8GS



3SO

5KE

SLIP END CAPS
Size 5 inch

Each \$0.25
21-5SE-J N-D1C6
100 in ctn. Wt. ctn. 50 lbs.

SLIP JOINT CONNECTIONS
Size 5 inch

Each \$0.50
21-5SJ-J N-D3C3
60 in ctn. Wt. ctn. 15 lbs.

SQUARE OUTLETS
Size 3 inch

Each \$0.35
21-3SO-J N-D2C2
60 in ctn. Wt. ctn. 10½ lbs.

FERRULES
Size 5 inch

Each 0.06
21-5F-J N-D0C3½
500 in ctn. Wt. ctn. 94 lbs.

SPIKES

Each \$0.05
21-7GS-J N-D0C3 Size, in. 7x¾
21-8GS-J N-D0C4 Size, in. 8x¾
Loose. Wt. ½ oz.

END PIECE
Size 5 inch

With 3 in. Square Outlet

Each \$0.90
21-5KE-J D6C1
20 in ctn. Wt. ctn. 20 lbs.

HALF ROUND GUTTERS



Lap Joint
[28-Gauge Galvanized Steel
Size 5 inch—Length 10 feet
Each \$1.80
21-5RG-J N-X1D20
Ten in bdl. Wt. bdl. 65 lbs.

HALF ROUND GUTTER MITRES



Lap Joint
28-Gauge Galvanized Steel
Size 5 inch
Each \$1.00
21-5RMO-J ND6C5 Type Outside
21-5RMI-J ND6C5 Type Inside
Twenty in ctn. Wt. ctn. 13 lbs.

HALF ROUND GUTTER ACCESSORIES

28-Gauge Galvanized Steel



“C” END CAPS
Size 5 inch
Each \$0.35
21-5RC N-D2C2
60 in ctn. Wt. ctn. 6 lbs.

“D” END PIECES
Size 5 inch—3 inch Drop
Each \$0.90
21-5EU N-D6C1
Twenty in ctn. Wt. ctn. 20 lbs.

“B” DROPS
Size 3 inch
Each \$0.25
21-3-J N-D1C8
60 in ctn. Wt. ctn. 20 lbs.


“SLIP-JOINT CONNECTIONS
Size 5 inch
Each \$0.25
21-J N-D1C8
60 in ctn. Wt. ctn. 6 lbs.

TITE-LOCK HANGERS
Size 5 inch
Each \$0.15
21-L-J N-D0C9
100 in ctn. Wt. ctn. 17 lbs.

CONDUCTOR PIPE AND ACCESSORIES
SQUARE PIPE

Corrugated
28-Gauge Galvanized Steel
Size 3 inch—Length 10 Feet
Each \$2.15
21-3P-J N-X1D44
Four in Bundle. Wt. Bundle 4½ lbs.

SQUARE ELBOWS



Corrugated
28-Gauge Galvanized Steel
Size 3 inch
Style “A” No. 3—75°
Each \$0.70
21-3SE-J N-D4C6
Twenty in ctn. Wt. ctn. 25 lbs.

SQUARE CLINCHER BANDS



Ornamental
Size 3 inch
Each \$0.16
21-3CB-J N-D1C1½
100 in ctn. Wt. ctn. 25 lbs.

ROUND PIPE



Plain
28-Gauge Galvanized Steel
Size 3 inch—Length 10 feet
Each \$1.85
21-3RCP-J N-X1D21
Four in Bundle. Wt. Bundles 4½ lbs.

ROUND ELBOWS



Plain
28-Gauge Galvanized Steel
Size 3 inch
No. 3—75°
Each \$0.55
21-3RE-J N-D3C4
Twenty in ctn. Wt. ctn. 9 lbs.

ROUND CLINCHER BANDS



Ornamental
Size 3 inch
Each \$0.12
21-3RB-J N-D0C8½
100 in ctn. Wt. ctn. 33 lbs.